

PM 32

2875-61

1 of 7

Betz PaperChem, Inc.  
7898 Baymeadows Way  
Jacksonville, FL 32216

Attention: Mr. Goodell

Gentlemen:

Subject: Betz *stimicide C-30*  
EPA Registration No. *3876-61*  
Your Submission Dated August 8, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



A. E. Castillo  
Product Manager (32)  
Disinfectants Branch  
Registration Division (TS-767C)

Enclosure

EPA:A.E.Castillo:DCR-50041:WANG-0419K:wec:Raven:479-2013:8/28/84

FILE NUMBER: C30.EPA

8/7/84

BETZ[R]

[LOGO]

slimicide C-30

Slime Control Agent

[FIRST PANEL]

PRECAUTIONARY STATEMENTS[14bf]

HAZARDS TO HUMANS AND DOMESTIC ANIMALS[12bf]

DANGER[18bf]

CORROSIVE. HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye and skin burns. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ACCEPTED with COMMENTS in EPA Letter Dated

AUG 30 1984

ENVIRONMENTAL HAZARDS[14bf]

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3876-61

PHYSICAL AND CHEMICAL HAZARDS[14bf]

Combustible. Do not use, pour or store near heat or open flame.


DIRECTIONS FOR USE[14bf]

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS[12bf]

BETZ Slimicide C-30 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons, and industrial water scrubbing systems and brewery pasteurizers.

Slimicide c-30 may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment



will depend upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

(Directions for Use continued on third panel.)

ELCCHG33 8406

BETZ Laboratories, Inc. TREVOSE, PENNSYLVANIA 19047 [Cont'd bottom 2nd panel.]

(SECOND PANEL)

Contents: LIQUID

Active Ingredients:

Bis (trichloromethyl) sulfone.... 20.0%

Methylenebis (thiocyanate).....5.0%

Inert Ingredients\*:.....75.0%

Total.....100.0%

\*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-61

WEIGHT PER GALLON OF PRODUCT  
8.9 Pounds (74F)

NET WEIGHT OR VOLUME  
AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN [12bf]

DANGER [18bf]

STATEMENT OF PRACTICAL TREATMENT [14bf]

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.


See left panel for additional Precautionary Statements.

ACCEPTED  
with COMMENTS  
by EPA Letter Dated

AUG 30 1984

Under the Fungicide, Disinfectant and Sanitizer Act as amended, this product is registered under EPA Reg. No.

3876-61



Telephone: 215-355-3300

---

(THIRD PANEL)

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound (12 to 60 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-30 at the rate of 0.1 to 0.3 pound (12 to 36 ppm) per 1000 gallons of water in the system daily, every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-30 at the rate of 0.1 to 0.5 pound (12 to 60 ppm) per 1000 gallons of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed Slimicide C-30 to maintain a dosage of 0.1 to 0.3 pound (12 to 36 ppm) per 1000 gallons of blowdown (or water loss) from the system.

The formulation and its use as a slime-control composition are covered by U.S. Patent 3,426,134.

STORAGE AND DISPOSAL [12bf]

STORAGE: Keep container tightly closed. Store in a dry place. Protect from freezing. Do not store in elevated temperatures.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Metal and Plastic Containers [bf]: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

Fiber Drums with Liners [bf]: Completely empty liner by shaking and tapping side and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding  
specific site problems is available from BETZ.

-----  
-----

(FOURTH PANEL)

DOT CORROSIVE DIAMOND

DOT Proper Shipping Name[bf]

CORROSIVE LIQUID, N.O.S.[bf]

UN 1769[bf]

-----

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

# BETZ

# slimicide C-30 Slim

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

CORROSIVE. HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye and skin burns. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

### PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use, pour or store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-30 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons, and industrial water scrubbing systems and brewery pasteurizers.

Slimicide C-30 may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination.

**BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

(Directions for Use continued on third panel.)

BLCCH033 8406

Contents: LIQUID

#### Active Ingredients:

Bis (trichloromethyl) sulfone .....

Methylenebis (thiocyanate) .....

Inert Ingredients\*: .....

Total .....

\*Inert ingredients include solubilizing and dispers

EPA Reg. No. 3876-61

WEIGHT PER GALLON OF PRODUCT  
8.9 Pounds (74F)

NET WEIGHT OR VOLUME  
AS MARKED ON CONTAINER

## KEEP OUT OF REACH OF CHILDREN

### DANGER

## STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash immediately with soap and water. Immediately contact physician.


In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

See left panel for additional Precautionary Statements

NOT REVIEWED  
In Accordance with PR Notice 82-  
Based on Draft Labeling Dated



**DOT Proper Shipping Name:**  
**CORROSIVE LIQUID, N.O.S.**  
**UN 1760**