


# BETZ



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-34 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, infitco units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

**BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

### FOR CONTROL OF BACTERIA AND FUNGI

#### INTERMITTENT OR SLUG METHOD

**INITIAL DOSE:** When the system is noticeably fouled, add 0.15 to 1.3 pounds to 1000 gallons or 18 to 156 parts per million of water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident, add 0.15 to 0.5 pound to 1000 gallons

(Directions for use continued on right panel.)

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## WARNING

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

### Contents: LIQUID

#### Active Ingredients:

Sodium dimethyl dithiocarbamate	15.0%
Nabam (disodium ethylene bisdithiocarbamate)	15.0%
Inert Ingredients*	70.0%

\*Inert ingredients include solubilizing and dispersing agents

EPA Reg. No. 3876-62  
WEIGHT PER GALLON OF PRODUCT  
9.7 pounds (60F)

### KEEP OUT OF REACH OF CHILDREN

## WARNING

### FIRST AID

In case of contact with skin, wash well with soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Immediately contact physician.

Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

# BETZ C-34 ALGAL AGENT

3876-62

Contents: LIQUID

15%:

Diethyl dithio-

15.0%

Diethyl ethylene bisdi-

thio-

15.0%

15%:

70.0%

Diethyl ethylene bisdi-

thio-

Reg. No. 3876-62

1.7 GALLON OF PRODUCT

1.7 pounds (60F)

OUT OF REACH OF CHILDREN

## WARNING

### FIRST AID

In contact with skin, wash well with water. Immediately contact physician.

In contact with eyes, flush promptly and copiously with clear water for at least 15 minutes. Immediately contact physician. If available, drink promptly a large quantity of milk, egg whites, gelatin solution or water. If not available, drink large quantity of water. Immediately contact physician.

Wash thoroughly after handling. Remove and discard contaminated clothing before re-

entry or 18 to 60 parts per million of water in the system every 3 days or as needed to maintain control.

### CONTINUOUS FEED METHOD

**INITIAL DOSE:** When the system is noticeably fouled, add 0.15 to 1.3 pounds to 1000 gallons or 18 to 156 parts per million of water in the system.

**SUBSEQUENT DOSE:** Continuously feed to maintain a dosage of 0.15 to 0.5 pound to 1000 gallons or 18 to 60 parts per million of water in the system.

### FOR CONTROL OF ALGAE

#### INTERMITTENT OR SLUG METHOD

**INITIAL DOSE:** When the system is noticeably fouled, add 0.15 to 1.3 pounds to 1000 gallons or 18 to 156 parts per million of water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** When total control is evident, add 0.15 to 0.5 pounds to 1000 gallons daily or 18 to 60 parts per million of water as needed to maintain control.

#### CONTINUOUS FEED METHOD

**INITIAL DOSE:** When the system is noticeably fouled, add 0.15 to 1.3 pounds to 1000 gallons or 18 to 156 parts per million of water in the system. Repeat until control is achieved.

**SUBSEQUENT DOSE:** Continuously feed to maintain a dosage of 0.15 to 0.5 pound to

1000 gallons or 18 to 60 parts per million of water in the system.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

### FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

### NET WEIGHT AND VOLUME

As Marked on Container

KEEP IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

BETZ LABORATORIES, TREVOSE, PENNSYLVANIA 19047