

1060
F431
3010-1

DEC 28 1984

Batz Laboratories, Inc.
4636 Somerton Road
Trevose, PA 19047

Attention: Mr. Robert W. Goodall

Gentlemen:

Subject: Slimicide 242
EPA Registration No. 3876-77
Your Application Dated September 10, 1984

The instructions for pesticide and container disposal are acceptable.

The draft label above, submitted in connection with registration under FIFRA is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Since the flash point of this product is 72°F, the label should have the following fire hazard caution.

Flammable. Keep away from heat and open flame.

Note that the word "Flammable" should precede the fire caution statement.

- b. The current recommended "Environmental Hazards" paragraph follows:

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing

		CONCURRENCES					
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

2560
this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment, or disposal of wastes.

- c. Pesticide disposal instructions should have Pesticide Disposal heading, and the container disposal instructions should have a Container Disposal heading.
- d. Submit, for your file, the "Material Safety Data Sheet" referred to on the proposed label.
- e. Refer to the enclosure, "THE LABEL" and make sure that you have complied with the type size requirements and following items: 1, 2, 3, 4, 5, 6a, 6b, 7, 7a, 7b, 7d, 7e, 8, 8a, 8b, 9c, 10c, and 10d. Refer also, to the A-79 enclosure in meeting the final printed label submission requirements. In most cases the final label is the label that will be affixed to the container.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-76 C)

Enclosure

RV/DIS:lee:OOR:50816:CBI-20:sah:12/7/84:Kenderick 898-1270:Del.12/14/84

100-100000

[LOGO]

100-100000

100-100000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL IF SWALLOWED. Causes eye, nose and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. wear rubber gloves, goggles or face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning, or maintenance equipment or disposal of wastes. Apply this product only as specified on the label.

100-100000

PRECAUTIONS

Do not use, pour or store near heat, sparks or open flame. Keep container closed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ slimicide also aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters, ponds, lagoons, industrial water scrubbing systems, and brewery pasteurizers.

(Directions for use continue on third label.)

ACCEPTED with COMMENTS in EPA Letter Dated

DEC 23 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide registered under EPA Reg. No.

3876-77

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

SLC00044714.7

[Left Panel] [Right Panel] [Bottom Panel] (bottom 2nd panel.)

(continued)

Content: LIQUID

Active Ingredients:

Iodine (iodoquinidine acetate).....10.0%

Inert Ingredients*.....90.0%

Total.....100.0%

*Inert ingredients include solubilizing and dispensing agents.

EPA Reg. No. 3876-77

WEIGHT PER GALLON OF PRODUCT
7.9 POUNDS (60F)

NET WEIGHT OR VOLUME
AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN(100f)

CAUTION(100f)

STATEMENT OF FIRST AID TREATMENT(100f)

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush immediately and thoroughly with clean water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

See left panel for additional Precautionary Statements.

19047 Telephone: 215-351-3700

(THIS PANEL)

Similiar and toy products to the system either

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 28 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No.

3876-77

4.1.1. For use in the system, see the following:

4.1.1.1. For use in the system, see the following treatment
to be used.

For control of the system, see the following:

INITIAL DOSAGE: when the system is noticeably
infested, add Slicicide 140 at the rate of 0.1 to 4.0 pounds
(60 to 400 ppm) per 1000 gallons of water in the
system. Repeat until control is achieved.

SUBSEQUENT DOSAGE: when tickle and control is evident,
add Slicicide 140 at the rate of 0.1 to 0.5 pounds
(10 to 250 ppm) per 1000 gallons of water in the
system daily, every 2 to 3 days or as needed to maintain
control.

CONTINUOUS FEED METHOD:

INITIAL DOSAGE: when the system is noticeably
infested, add Slicicide 140 at the rate of 0.5 to
4.0 pounds (60 to 400 ppm) per 1000 gallons
of water in the system. Continue until control is
achieved.

SUBSEQUENT DOSAGE: when tickle and control is evident,
continuously feed Slicicide 140 to maintain a dosage
of 0.1 to 1.1 pounds (10 to 250 ppm) per 1000 gallons
of bloodworm (see label for details) from the system.

USE: See label for details.

STORAGE: keep container tightly closed. Store in a dry
place. Protect from freezing. Do not store in elevated
temperatures.

POISON: do not contaminate water, food or feed by
storage or disposal.

Pesticide waste: do not mix with other pesticides or toxic
materials. Do not mix with food, feed, or any mixture,
or material that will be used for food. If these
wastes cannot be disposed of by use according to label
instructions, contact your state pesticide or Environ-
mental Control Agency or the hazardous waste representa-
tive at the nearest EPA regional office for guidance.

Metal and plastic containers (if): Rinse (or equi-
valent). Then offer for recycling or reconditioning,
puncture and crush, or use sanitary landfill, or in-
cinerate or burn, if allowed by state and local authorities.
If burned, stay out of eyes.

Fiber drums with liners (if): Completely empty liner by
shaking and tapping sides and bottom to loosen clinging
particles. Empty residue into application equipment. Then
dispose of liner and drum in a sanitary landfill or in-
cinerate if allowed by state and local authorities. Do

ACCEPTED
with COMMENTS
M. L. L. Letter Dated:

DEC 28 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

3876-77