#### DIRECTIONS FOR USE

......

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **RECIRCULATING COOLING WATER SYSTEMS**

BETZ Slimicide C-38 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, infilco units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

## FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.3 to 1.0 pound to 1000 gallons or 36 to 120 parts per million of water in the system. Repeat until control is achieved.

(Directions for use continued on right panel.)

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN, CORROSIVE, Causes eye burns and skin irritations, Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing, Wear rubber gloves, and goggles or face shield, when handling.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

# KEEP CONTAINER COVERED PROTECT FROM FREEZING

DO NOT STORE AT ELEVATED TEMPERATURES

Contents: LIQUID
Active Ingredients: Bis (trichloromethyl) sulfone 17.0%
Methylenebis (thiocyanate) 5.0%
Inert Ingredients*:
EP.4 Reg. No. 3876-90
WEIGHT PER GALLON OF PRODUCT 9.4 Pounds (61F)

# KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

In case of contact with skin, wash immediately with scap and plenty of water. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of clear water for at least 15 minutes and immediately contact physician.

In case of ingestion, immediately contact physician. Do not induce vomiting. Drink large quantities of milk, egg whites or water.

In case of inhalation, immediately remove affected person from contaminated area to fresh air, Immediately contact physician.

NET WEIGHT AND VOLUME As Marked on Container

FOR ECONOMIC POISON REGISTER. SUBSEQUENT DOSE: Continuously feed to SUBSEQUENT DOSE: When microbial control is evident, add 0.15 to 0.5 pound to 1000 gallons or 18 to 60 parts per million of water in the maintain a dosage of 0.15 to 0.5 pound to system every 3 days or as needed to maintain , 1000 gallons or 18 to 60 parts per million of control. water in the system. ۶4 This product and its use as a slime-control CONTINUOUS FEED METHOD composition is covered by United States Patent 3,426,134. INITIAL DOSE: When the system is noticeably fouled, add 0.3 to 1.0 pound to 1000 gallons or 36 to 120 parts per million of water in the system. STORAGE AND DISPOSAL SUBSEQUENT DOSE. Continuously feed to maintain a dosage of 0.15 to 0.5 pound to Do not contaminate water, food or feed by 1000 gallons or 18 to 60 parts per million of storage or disposal. Open dumping is prowater in the system, hibited. Do not reuse empty container. Pesticide or rinsate that cannot be used or FOR CONTROL OF ALGAE chemically reprocessed should be disposed INTERMITTENT OR SLUG METHOD of in a landfill approved for pesticides or buried in a safe place away from water INITIAL DOSE: When the system is noticeably supplies. fouled add 0.3 to 1.0 pound to 1000 gallons or 36 to 120 parts per million of water in the Triple rinse the container or equivalent system. Repeat until control is achieved. method before sending to drum conditioner SUBSEQUENT DOSE: When algal control is evior destroying by perforation or crushing and dent add 0.15 to 0.5 pound to 1000 gallons burying in a safe place. Consult Federal, daily or 18 to 60 parts per million daily or as state or local authorities for approved alterneeded to maintain control. native procedures. 1 1-CONTINUOUS FEED METHOD INITIAL DOSE: When the system is noticeably FOR INDUSTRIAL USE ONLY fouled, cdd 0.3 to 1.0 pound to 1000 gallons or 36 to 120 parts per million of water in the Technical advice regarding specific site probsystem. Repeat until control is achieved. lems available from BETZ.