Betz PaperChem, Inc.
7898 Baymeadows Way
Jacksonville, FL   32216

Attention: Mr. Goodell

Gentlemen:

Subject: *Slimicide C-38*
EPA Registration No. 3876-90
Your Submission Dated August 3, 1984

The labeling referred to above, submitted in connection with registration

under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is

acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

A. E. Castillo
Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure
EPA:A.E.Castillo:DCR-50041:WANG-0419K:wec:Raven:479-2013:8/28/84

FILE NUMBER: C38.EPA

BETZ[R]   [LOGO]

---

slimicide C-38   Slime Control Agent

[FIRST PANEL]

PRECAUTIONARY STATEMENTS[14bf]

HAZARDS TO HUMANS AND[12bf]
DOMESTIC ANIMALS[12bf]

DANGER[18bf]

HARMFUL IF SWALLOWED OR ABSORBED
THROUGH SKIN. Causes eye burns and
skin irritation. Do not get into eyes, on
skin or on clothing. Do not inhale vapor or
mist. Use with adequate ventilation. Wear
rubber gloves, goggles and face shield when
handling. Immediately remove and wash con-
taminated clothing before reuse. Wash tho-
roughly after handling.

ENVIRONMENTAL HAZARDS[14bf]

This pesticide is toxic to fish and wildlife.
Do not discharge into lakes, streams, ponds
or public water unless in accordance with a
NPDES permit. For guidance, contact your Re-
gional Office of the EPA. Do not contaminate
water by cleaning of container and equipment
or disposal of wastes. Apply this product only
as specified on this label.

(DIRECTIONS FOR USE[14bf]

It is a violation of Federal law to use this
product in a manner inconsistent with its la-
beling.

RECIRCULATING COOLING WATER SYSTEMS[12bf]

BETZ Slimicide C-38 aids in the control of bac-
terial, fungal and algal slimes in evaporative
condensers, heat exchange water systems, com-
mercial and industrial cooling towers, influent
systems such as flow through filters and lagoons,
and industrial water scrubbing systems and brew-
ery pasteurizers.

Slimicide C-38 may be added to the systems either
continuously or intermittently or as needed. The
frequency of feeding and duration of the treatment
will depend upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treat-
ment is begun.

(Directions for Use continued on third panel.)

ELCCHO35 8406

EETZ Laboratories, Inc. TREVOSE, PENNSYLVANIA 19047[Cont'd bottom 2nd panel.]

(SECOND PANEL)

Contents: LIQUID

Active Ingredients:

    Bis (trichloromethyl) sulfone.........17.0%

    Methylenebis (thiocyanate).............5.0%

Inert Ingredients*:......................78.0%

            Total.....................100.0%

  *Inert ingredients include solubilizing and
   dispersing agents.

        EPA Reg. No. 3876-90

    WEIGHT PER GALLON CF PRODUCT
        9.4 Pounds (70F)

        NET WEIGHT CP VOLUME
    AS MARKED ON CONTAINER

  KEEP OUT OF REACH CF CHILDREN[12bf]

        DANGER[18bf]

  STATEMENT CF PRACTICAL TREATMENT[14bf]

In case of contact with skin, wash immediately
with plenty of soap and water. Immediately con-
tact physician.

In case of contact with eyes, flush promptly and
thoroughly with clear water for at least 15 minutes.
Immediately contact physician.

In case of ingestion, immediately contact physi-
cian.

A Material Safety Data Sheet containing more de-
tailed information relative to this product is a-
vailable upon request.

See left panel for additional Precautionary State-
ments.

Telephone: 215-355-3700

        (THIRD PANEL)

  FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD
INITIAL DOSE: When the system is noticeably fouled,
add Slimicide C-38 at the rate of 0.3 to 1.0 pound
(36 to 120 ppm) per 1000 gallons of water in the
system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident,
add Slimicide C-38 at the rate of 0.15 to 0.5 pound
(18 to 60 ppm) per 1000 gallons of water in the
system daily, every 3 days or as needed to maintain con-
trol.

CONTINUOUS FEED METHOD
INITIAL DOSE: When the system is noticeably fouled,
add Slimicide C-38 at the rate of 0.3 to 1.0 pound
(36 to 120 ppm) per 1000 gallons of water in the
system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed Slimicide C-38 to
maintain a dosage of 0.15 to 0.5 pound (18 to 60 ppm)
per 1000 gallons of blowdown (or water loss) from the
system.

This product and its use as a slime-control composition
are covered by U.S. Patent 3,426,134.

STORAGE AND DISPOSAL[12bf]

STORAGE: Keep container tightly closed. Store in a dry
place. Protect from freezing. Do not store in elevated
temperatures.

DISPOSAL: Do not contaminate water, food or feed by
storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic.
Improper disposal of excess pesticide, spray mixture,
or rinsate is a violation of Federal law. If these
wastes cannot be disposed of by use according to label
instructions, contact your State Pesticide or Environ-
mental Control Agency or the Hazardous Waste represen-
tative at the nearest EPA Regional Office for guidance.

Metal and Plastic Containers[bf]: Triple rinse (or equi-
valent). Then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill, or in-
cinerate or burn, if allowed by state and local authori-
ties. If burned, stay out of smoke.

Fiber Drums with Liners[bf]: Completely empty liner by
shaking and tapping side and bottom to loosen clinging
particles. Empty residue into application equipment.
Then dispose of liner and drum in a sanitary landfill or
incinerate if allowed by state and local authorities.
Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding
specific site problems is available from BETZ.