

# BETZ<sup>®</sup> LABORATORIES, INC.

# Slimicide C-38

SLIME CONTROL AGENT

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES EYE BURNS AND SKIN IRRITATIONS. DO NOT GET INTO EYES, ON SKIN OR ON CLOTHING. DO NOT INHALE VAPOR OR MIST. USE WITH ADEQUATE VENTILATION. WEAR RUBBER GLOVES, GOGGLES AND FACE SHIELD WHEN HANDLING. IMMEDIATELY REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.

**ENVIRONMENTAL HAZARDS**

THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE; DO NOT DISCHARGE EFFLUENT CONTAINING THIS ACTIVE INGREDIENT INTO LAKES, STREAMS, PONDS, ESTUARIES, OCEANS, OR PUBLIC WATERS UNLESS THIS PESTICIDE IS SPECIFICALLY IDENTIFIED AND ADDRESSED IN AN NPDES PERMIT. DO NOT DISCHARGE EFFLUENT CONTAINING THIS PESTICIDE TO SEWER SYSTEMS WITHOUT PREVIOUSLY NOTIFYING THE SEWAGE TREATMENT PLANT AUTHORITY. FOR GUIDANCE CONTACT YOUR STATE WATER BOARD OR REGIONAL OFFICE OF THE EPA. APPLY THIS PESTICIDE ONLY AS SPECIFIED ON THIS LABEL.

ACCEPTED  
SEP 19 1988

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 3876-90

**Active Ingredients:**

Bis (trichloromethyl) sulfone.....17.0%  
Methylenbis (thiocyanate).....5.0%  
Inert Ingredients:.....78.0%  
Total.....100.0%

Inert ingredients include solubilizing and dispersing agents.

CONTENTS: LIQUID

EPA EST. NO.

POUNDS PER GALLON: 9.4 (70F)

EPA REG. NO.: 3876-90

**DANGER KEEP OUT OF REACH OF CHILDREN  
STATEMENT OF PRACTICAL TREATMENT**

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, do NOT induce vomiting. Immediately contact physician. Never give anything by mouth to an unconscious person.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL: METAL AND PLASTIC CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

**FIBER DRUMS WITH LINERS:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

**RECIRCULATING COOLING WATER SYSTEMS**

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters and lagoons, and industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the system either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

**SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.15 to 0.5 pound (18 to 60 ppm) per 1000 gallons of water in the system daily, every 3 days or as needed to maintain control.

**CONTINUOUS FEED METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.3 to 1.0 pound (36 to 120 ppm) per 1000 gallons of water in the system. Continue until control is achieved.

**SUBSEQUENT DOSE:** Continuously feed this product to maintain a dosage of 0.15 to 0.5 pound (18 to 60 ppm) per 1000 gallons of blowdown (or water loss) from the system.

THIS PRODUCT AND ITS USE AS A SLIME CONTROL COMPOSITION IS COVERED BY U.S. PATENT 3,426,134.

**FOR CONTROL OF BACTERIA, FUNGI AND ALGAE**

**INTERMITTENT OR SLUG METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.3 to 1.0 pound (36 to 120 ppm) per 1000 gallons of water in the system.

Repeat until control is achieved.

NET WT. : LBS.  
LOT NO.

FOR INDUSTRIAL USE. Technical advice regarding specific site problems is available from BETZ.  
©BETZ 1988