

Betz Laboratories, Incorporated
Somerton Road
Trevose, PA. 19047

Gentlemen:

Subject: Slimicide C-38
EPA Registration Number 3876-90
Your submission of September 13, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,



J. A. F. Castillo
Product Manager #32
Disinfectants Branch
Registration Division (TS-767c)

enclosure

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

FILE NUMBER: CBS.EPA

BETZERS

[LOGO]

Simicide 3750 Disinfectant Control Agent

DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS

HARMFUL TO HUMANS AND TO DOMESTIC ANIMALS

See label for details

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor. Use with adequate ventilation, wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ACCEPTED with COMMENTS to EPA

NOV 16 1984

3876-90

DIRECTIONS FOR USE

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of waste. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REGULATING WASTEWATER TREATMENT

Simicide 3750 is used for control of bacterial, fungal and viral growth in evaporative condensers, heat exchangers, cooling towers, commercial and industrial coolers, geysers, influent systems such as first flush diverters, and lagoons, and industrial water condenser systems and primary post-treatment.

Simicide 3750 may be added to the systems either continuously or intermittently as required. The frequency of treatment and duration of the treatment will depend upon the severity of the contamination.

WASTEWATER SYSTEMS MUST BE CLEANED BEFORE TREATMENT IS BEGUN.

BEST AVAILABLE COPY

PM 32

3876-90

384

(Directions for Use continued on third panel.)

ELCCH035 E406

BETZ Laboratories, Inc. IR-V081, PHAN, YLV-4119 19047 [Cont'd bottom 2nd panel.]

(SECOND PANEL)

Content: 100g

Active Ingredients:

ois (trichloromethyl) sulfone.....17.0%

methylenedis (tricyanate).....5.0%

Inert ingredients.....77.0%

Total.....100.0%

(Inert ingredients include colorants and dispersing agents.)

CPA Reg. No. 7-75-11

WEIGHT PER GALLON OF SOLUTION
7.4 pounds (7.4)

NET WEIGHT OF 1 GALLON
AS SHOWN ON CONTAINER

KEEP OUT OF REACH OF CHILDREN [12043]

UNL. 1201-011

STATEMENT OF PRACTICAL INFORMATION [12043]

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clean water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

BEST AVAILABLE COPY

See left panel for additional and additional statements.

Telephone: 21-55-3100

(THIRD PANEL)

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Siliicide C-38 at the rate of 0.5 to 1.0 pound (50 to 100 ppm) per 100 gallons of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: When noticeable control is evident, add Siliicide C-38 at the rate of 0.15 to 0.5 pound (15 to 50 ppm) per 100 gallons of water in the system daily, every 2 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Siliicide C-38 at the rate of 0.5 to 1.0 pound (50 to 100 ppm) per 100 gallons of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed Siliicide C-38 to maintain a dosage of 0.15 to 0.5 pound (15 to 50 ppm) per 100 gallons of water (for water loss) from the system.

This product and its use in a slime-control composition are covered by U.S. Patent 3,443,115.

STORAGE AND PRECAUTIONS -

STORAGE: Keep container tightly closed. Store in a dry place. Protect from freezing. Do not store in elevated temperatures.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely toxic and/or toxic. Improper disposal of acute toxic pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by you according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest Regional Office for guidance.

Metal and plastic containers: Thoroughly rinse (or equivalent), then offer for recycling or reconditioning, or puncture and crush for metal only by landfill, or incinerate or burn, if allowed by State and local authorities. Do not burn. Stay out of fire.

Fiber drums with liners: Completely empty liner by shaking and turning sides and bottom to loosen clinging particles. Empty into collection equipment. Then dispose of liner at approved sanitary landfill or incinerate if allowed by State and local authorities. Do not burn. Stay out of fire.

For information on this product, contact your local distributor or contact the manufacturer, ESI, Inc., 10000 E. 1st Ave., Denver, CO 80231.

