

DANGER — TOXIC

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Corrosive. Causes severe eye and skin damage. Do not get into eyes, on skin or on clothing. Wear rubber gloves, and goggles or face shield, when handling.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water for 15 minutes. In case of ingestion of contact with eyes, secure immediate medical attention.

FIRST AID: If swallowed, induce vomiting by sticking finger down the throat, or by drink ing soapy or strong salty water. Repeat until vomit is clear. Call a physician immediately. Never give anything to an unconscious per son by mouth.

Remove and wrish contaminated clothing be fore reuse.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

DIRECTIONS FOR USE

BETZ Slimicide 508 aids in the control of bacterial slimes in industrial recirculating cooling tower water systems.

Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems when efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed.

When system is noticeably fouled, apply 0.2 pound (0.024 gallon) of the product per thou sand gallons of water in the system. Repeat until control is achieved. When microbial control is evident, add 0.01 to 0.10 pound (0.001 to 0.01 gallon) of the product per thousand gallons of water in the system every day, or as needed to maintain control. Severely fouled systems must be cleaned before start ing treatment.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

KEEP CONTAINER COVERED -- PROTECT FROM FREEZING

BETZ Laboratories. Inc. TREVOSE, PENNSYLVANIA 19047

Contents: LIQUID
Active Ingredient:
2, 2-dibromo-3-nitrilopro- pionamide 20.0°
Inert Ingredients*
*Inert_ingredients_include_solubilizing and dispersing agents.
EPA Reg. No. 3876-95
NET WEIGHT AND VOLUME As Marked on Container
WEIGHT PER GALLON OF PRODUCT 10.6 Pounds (60F)



FLIME CONTROL AGENT

DANGER — TOXIC

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Corrosive. Causes severe eye and skin damage. Do not get into eyes, on skin or on clothing. Wear rubber gloves, and goggles or face shield, when handling.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water for 15 minutes. In case of ingestion or contact with eyes, secure immediate medical attention.

FIRST AID: If swallowed, induce vomiting by sticking finger down the throat, or by drinking soapy or strong salty water. Repeat until vomit is clear. Call a physician immediately. Never give anything to an unconscious person by mouth.

Remove and wash contaminated clothing before reuse.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

DIRECTIONS FOR USE

BETZ Slimicide 508 aids in the control of bacterial slimes in industrial recirculating cooling tower water systems.

Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems when efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed.

When system is noticeably fouled, apply 0.2 pound (0.024 gallon) of the product per thousand gallons of water in the system. Repeat until control is achieved. When microbial control is evident, add 0.01 to 0.10 pound (0.001 to 0.01 gallon) of the product per thousand gallons of water in the system every day, or as needed to maintain control. Severely fouled systems must be cleaned before starting treatment.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

BLC531 7504

KEEP CONTAINER COVERED — PROTECT FROM FREEZING

BETZ Laboratories, Inc. / TREVOSE, PENNSYLVANIA / 19047

Contents: LIQUID
Active Ingredient: 2, 2-dibromo-3-nitrilopro-
pionamide
Inert Ingredients* 80.0 %
*Inert ingredients include solubilizing and dispersing agents.
EPA Reg. No. 3876-95
NET WEIGHT AND VOLUME As Marked on Container
WEIGHT PER GALLON OF PRODUCT 10.6 Pounds (60F)