

ED UNDER mcide DE-488

SLIME CONTROL AGENT

DANGER

STRONG OXIDANT. Causes eye damage. Harmful if swallowed. Keep away from direct sunlight, fire, heat and open flame.

Do not get into eyes, on skin or clothing. Wear rubber aloves, and goggles or face shield, when handling

In case of contact with skin, wash well with soap and water, in case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

Treated efficient should not be discharged where it will drain into lakes, ponds, streams, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only a specified on this label.

Do not reuse empty containe. Send to drum reconditioner, or destroy by perforating of a cooling water systems is covered by U.S. crushing and bury in a safe place.

DIRECTIONS FOR USE

Betz Slimicide DE-488 aids in the control of slime formed by bacteria in recirculating cool ing-tower water equipment.

Begin treatment when the system is in jeopardy of pecoming affected or after cleaning systems. when efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed.

When the system is noticeably fouled, apply 10 pounds (1.25 gallons) of this product per thousand gallons of water in the system. Repeat until control is achieved. When microbial control is evident, add 0.1 to 1.5 pounds (0.01 to 0.19 gallons) per thousand gallons of water in the system every day, or as needed to maintain control. In the event the system is bridly fouled, precleaning is recommended.

The use of this product for slime control in Patent 3 514.278

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

Contents: LIQUID

Active Ingredients

tert,-butyl hydroperoxide 69 15

Inert Ingredients*

30.85

*Inert ingredients include colubilizing and dispersing agents

EPA Reg. No. 3876-106

NET WEIGHT AND VOLUME As Marked on Container

WEIGHT PER GALLON OF PRODUCT 7.8 Pounds (77F)

KEEP CONTAINER COVERED—PROTECT FROM FREEZING

BETZ Laboratories, Inc. TREVOSE, PENNSYLVANIA / 19047



SLIME CONTROL ACENT

DANGER

STRONG OXIDANT. Causes eye damage. Harmful if swallowed. Keep away from direct sunlight, fire, heat and open flame.

Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

In case of contact with skin, wash well with soap and water. In case of contact with eyes, flush promptly and thoroughly with clear water. In case of ingestion or contact with eyes, secure immediate medical attention.

Treated effluent should not be discharged where it will drain into lakes, ponds, streams, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

DIRECTIONS FOR USE

Betz Slimicide DE-488 aids in the control of slime formed by bacteria in recirculating cooling-tower water equipment.

Begin treatment when the system is in jeopardy of becoming affected or after cleaning systems when efficiency is already impaired. Apply at a point in the system where the product will be uniformly mixed.

When the system is noticeably fouled, apply 10 pounds (1.25 gallons) of this product per thousand gallons of water in the system. Repeat until control is achieved. When microbial control is evident, add 0.1 to 1.5 pounds (0.01 to 0.19 gallons) per thousand gallons of water in the system every day, or as needed to maintain control. In the event the system is badly fouled, precleaning is recommended.

The use of this product for slime control in cooling water systems is covered by U.S. Patent 3,514,278.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

Contents: LIQUID

Active Ingredients

tert.-butyl hydroperoxide 69.15%

Inert Ingredients* 30.85%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-106

As Marked on Container

WEIGHT PER GALLON OF PRODUCT 7.8 Pounds (77F)

KEEP CONTAINER COVERED—PROTECT FROM FREEZING

BLE544 7408

BETZ Laboratories, Inc. / TREVOSE, PENNSYLVANIA / 19047