3876 -113 JUN 18 1979

UNDER THE FEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON BEGISTERED UNDER NO.



slime-trol® RX-45

SLIME CONTROL AGENT

DANGER—TOXIC

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Corrosive. Causes severe eye and skin damage. Do not get into eyes, on skin or on clothing. Wear rubber gloves, and goggles or face shield, when handling.

In case of contact with eyes, flush promptly and thoroughly with clear water for 15 minutes. In case of ingestion or contact with eyes, secure immediate medical attention.

FIRST AID: If swallowed, do not induce vomiting. Drink large quantities of fluid and call a physician immediately.

Remove and wash contaminated clothing before reuse.

Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. This product is toxic to fish, Do not contaminate water by

BLP551 7902

cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Send to drum reconditioner, or destroy by perforating or crushing and bury in a safe place.

CAUTION—COMBUSTIBLE

Keep away from heat and open flame. Keep container closed when not in use.

DIRECTIONS FOR USE

BETZ Slime-Trol RX-45 aids in the control of fungi and bacterial slime growths in pulp and paper mill systems. The product should be added to the pulp or stock at a rate of 0.1 to 0.3 pound, or 0.012 to 0.036 gallon, per ton of pulp or paper produced.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

Contents: LIQUID

Active Ingredients

 β -Bromo β -Nitrostyrene 10.0%

Inert Ingredients 90.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-113 -

NET WEIGHT

As Marked on Container

WEIGHT PER GALLON OF PRODUCT 7.99 Pounds (60F)

KEEP CONTAINER COVERED—PROTECT FROM FREEZING

VEE

W.

18/79

•