



GE Betz

Lot Number:

Material ID: 6007628

Net Weight:

Packaging Date: 02/01/2004

Wash:

Made in USA

HEALTH	3
FLAMMABILITY	2
REACTIVITY	0
PERSONAL PROTECTION	D

ACCEPTED

APR 20 2004

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 3876-121

# SLIMICIDE C-31

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER PELIGRO**

**CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. MAY BE FATAL IF INHALED. HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.** Do not get in eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles and face shield when handling. Immediately remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**Personal Protective Equipment(PPE):** Applicators and all other handlers must wear: Coveralls over long-sleeved shirt and long pants. Socks and chemical resistant footwear. Goggles or face shield. Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton. Respirator with an organic vapor removing cartridge with a pre filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**ACTIVE INGREDIENTS:**  
Dodecylguanidine hydrochloride ..... 10.0%  
Methylenebis(thiocyanate) ..... 5.0%  
**INERT INGREDIENTS\*** ..... 85.0%  
**TOTAL** ..... 100.0%

\*Inert ingredients include solubilizing and dispersing agents.

**CONTENTS: LIQUID**  
**POUNDS PER GALLON: 9.1 (60°F)**

**EPA REGISTRATION NUMBER: 3876-121**

**EPA ESTABLISHMENT NUMBER: 3876-PA-001**

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER PELIGRO**

**User Safety Recommendations**  
Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.  
User should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.  
User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.  
**PHYSICAL AND CHEMICAL HAZARD**  
Combustible. do not use, pour or store near heat or open flame.

FIRST AID	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>HOT LINE NUMBER: 1-800-222-1222</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-877-1940 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	Probable mucosal damage may contraindicate use of gastric lavage.

## STORAGE AND DISPOSAL

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

**PESTICIDE STORAGE:** Keep container tightly closed. Store in a cool, dry well-ventilated place. Do not store at elevated temperatures.

**PESTICIDE DISPOSAL** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GE Betz, Inc., 4636 Somerton Road, Trevose, PA, 19053  
Business Phone: 215-355-3300 • Emergency Phone: 800-877-1940

3876-121

02/20/2004

1/2



# GE Betz

Made in USA

GEN 0110 - 2/1/04

HEALTH	3
FLAMMABILITY	2
REACTIVITY	0
PERSONAL PROTECTION	D

# SLIMICIDE C-31

SLIME CONTROL AGENT

## RECIRCULATING COOLING WATER SYSTEMS

This product aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters, lagoons, industrial water scrubbing systems and brewery pasteurizers. This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem. **BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

## FOR CONTROL OF BACTERIA, FUNGI AND ALGAE


**INTERMITTENT OR SLUG METHOD - INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved. **SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system every 3 days or as needed to maintain control.

**CONTINUOUS FEED METHOD - INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. **SUBSEQUENT DOSE:** Continuously feed this product to maintain a dosage of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system.

**AIR WASHERS:** For use only in industrial air washer systems that maintain effective mist eliminating components. This product controls slime forming bacteria and fungi in industrial air washer systems. Add 0.1 to 1.0 pound (12 to 120 ppm) of this product per 1000 gallons of water in the system, depending upon the severity of contamination. **BADLY FOULED SYSTEMS** must be cleaned before treatment is begun.

**INTERMITTENT OR SLUG METHOD - INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved. **SUBSEQUENT DOSE:** When microbial control is evident, add this product at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system every 3 days or as needed to maintain control.

**CONTINUOUS FEED METHOD - INITIAL DOSE:** When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pound (24 to 120 ppm) per 1000 gallons of water in the system. **SUBSEQUENT DOSE:** Maintain this level by pumping a continuous feed of this product at the rate of 0.1 to 0.75 pound (12 to 90 ppm) per 1000 gallons of water in the system per day.



Lot Number:

Material ID: 6007628

Packaging Date: 02/01/2004

Net Weight:

GE Betz Inc., 4636 Somerton Road, Trevose, PA, 19053  
Business Phone: 215-355-3300 • Emergency Phone: 800-877-1940

2/2