

ACCEPTED

AUG 1 81980

Funcicide, and Hodenstolde Ac

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of slime forming bacteria, fungi, algae and sulfide producing bacteria in oil field water, polymer, or mycellar floods, water disposal systems or other oil field water systems, packer fluids and drilling muds.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million intermittently for 4-8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 10 to 75 pounds to 1000 barrels of water or 30 to 225 parts per million every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million in the

(Directions for Use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN, Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS FLAMMABLE

Keep away from heat and open flame.

KEEP CONTAINER COVERED PROTECT FROM FREEZING

DO NOT STORE AT **ELEVATED TEMPERATURES** Contents: LIQUID

Active Ingredients:

Dodine (dodecylguanidine acetate) 10.0 isopropanol 30. Inert Ingredients*: 60.

> *Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-125

WEIGHT PER GALLON OF PRODUCT 7.9 Pounds (60F)

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

In case of contact with skin, wash immi ately with soap and plenty of water mediately contact physician.

In case of contact with eyes, flush eye. mediately with plenty of clear water for least 15 minutes and immediately con physician.

In case of ingestion, immediately conphysician.

Immediately remove and wash contaming clothing before reuse. Wash thoroughly a handling.

> NET WEIGHT AND VOLUME As Marked on Container

BETZ Laboratories, Inc. / TREVOSE PENNSYLVANIA / 190



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face hield, when handling.

ENVIRONMENTAL HAZARDS

this pesticide is toxic to fish and wildlife. Do not apply in marine and/or estuarine oil sields. Do not discharge into lakes, streams, conds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS FLAMMABLE

Keep away from heat and open flame.

PROTECT FROM FREEZING

DO NOT STORE AT ELEVATED TEMPERATURES

Contents: LIQUID

Active Ingredients:

Inert Ingredients*: 60.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-125

WEIGHT PER GALLON OF PRODUCT 7.9 Pounds (60F)

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of clear water for at least 15 minutes and immediately contact physician.

In case of ingestion, immediately contact physician.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

NET WEIGHT AND VOLUME As Marked on Container SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 10 to 75 pounds to 1000 barrels of water or 30 to 225 parts per million in the system.

PACKER FLUIDS AND DRILLING MUDS

Add ER-22 directly to the packer fluid or drilling mud at a rate of 50 to 500 pounds per 1000 barrels or 80 to 800 parts per million. The dosage rate will depend upon the severity of the problem.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

46

BETZ Laboratories, Inc. / TREVOSE, PENNSYLVANIA / 19047