

#### **CHLORINATING SOLUTION**

For bulk shipment for use by experienced personnel *only*, as a disinfectant and algaecide in swimming pools and water sewage treatment.

KEEP OUT OF REACH OF CHILDREN

#### DANGER

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

**ENVIRONMENTAL HAZARDS:** This pesticide is toric to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG CXIDIZING AGENT; Mix only with water according to label directions. Mixing this product with gross filth such as feces, uring etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes. lungs and mucous membranes

DIRECTIONS FOR USE/GENERAL CLASSIFICATION: For bulk shipment for use by experienced personnel only, as a disinfectant and algaecide in swimming pools and water sewage treatment.

It is a violation of Rederal law to use this product in a manner inconsistant with its labeling.

NOTS: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

storage and disposal: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty centainer thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Manufactured by

### CONTINENTAL CHEMICAL COMPANY

□EPAEST. NO. 1803-CA-1 2175 Acoma Street Sacramento, CA 95815

□EPA EST. NO. 1803-CA-2 1651 Babbitt Avenue Anaheim, CA 92805

EPA REG. NO. 1803-24

Net 55 Gallons (208.18 Liters)

1803-24 JUN 21981



#### **DIRECTIONS FOR USE**

As is a violation of Federal law to use this produced an amunance acconsistent with its labeling.

#### RECIRCULATING COOLING WATER SYSTEMS

BET7 Slimicide C 41 aids in the control of bacal fungal and algal sitnes in evaporative condensers, heat exchange vater systems commercial and industrial cooling towers, in fluent systems such as flow through infiliaunits, filters, lagoons etc. industrial water scrubbing systems and browery posteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend on the so verity of the problem.

BADLY FOULED SYSTEMS, must be cleaned be fore treatment in begun.

## FOR CONTROL OF BACTERIA AND LUNG!

INITIAL DOSE: When the system is noticeably tooled, add 0.1 to 1.0 pound to 1000 gallons in 12 to 120 parts per million of water in the system. Repeat until control 1. schievert.

SUBSEQUENT DOSE When microbial control is evoluted add 0.1 to 0.75 bound to 1000 year

Directions for one continued on quit ponel

# ACCEPTED 20 MAY 1041 3874-1617

UNDER THE CYDERAL HISECTICIDE FUNDA, AND ADDICATED ACT

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER

HARMFUL OR FATAL IS SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Do not breathe vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield when handling.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not discharge into takes, streams, ponds or public water unless in accordance with an NPDES permit For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use point or store near hear or open flame.

STORE IN A COOL DRY PLACE

DO NOT STORE AT BLEVATED TEMPERATURES

## Slimicht SLIME CONT

	<del></del>
Contents:	HOHID

Active Ingredients:

B-Bromo B-Nitrostyrene .....

Methylenebis (thiocyanate) .....

Inert ingredients include solubilizing and dispersing agents.

Inert Ingredients\*: ..... 85.

EPA Reg. No. 3876-127

Weight Per Gallon of Product 8.08 Pounds (60F)

## KEEP OUT OF REACH OF CHILDREN DANGER

#### STATEMENT OF PRACTICAL TREATMEN

In case of contact with skin, wash imme ately with soap and plenty of water. It mediately contact physician.

In case of contact with eyes, flush eyes a mediately with plenty of clear water for least 15 minutes and immediately conta physician

In case of ingestion, immediately contraphysician.

Immediately remove and wash conto-renated clothing hefore reuse. Wash thoroughly after handling.

NET WEIGHT AND VOLUME As Marked on Container

. .

BETZ Laboratories, Inc./TREVOSE, PENN