

BETZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of slime-forming bacteria, fungi, algae and sulfide-producing bacteria in oil field water, polymer, or mycellar floods, water disposal systems or other oil field water systems, packer fluids and drilling muds.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million intermittently for 4-8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 10 to 50 pounds to 1000 barrels of water or 30 to 150 parts per million every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water, or 30 to 300 parts per million in the system.

(Directions for use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, and goggles or face shield, when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER COVERED

STORE IN A DRY PLACE

DO NOT STORE AT ELEVATED TEMPERATURES

Contents: **LIQUID**

Active Ingredients:

β -Bromo β -Nitrostyrene
Methylenebis (thiocyanate)

Inert Ingredients*:

*Inert ingredients include solubilizers and dispersing agents.

EPA Reg. No. 3876-120

WEIGHT PER GALLON OF PRODUCT
8.04 Pounds (70F)

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink milk or plenty of water. Do NOT induce vomiting. Immediately contact physician.

In case of contact with eyes, flush immediately with plenty of clear water for at least 15 minutes and immediately contact physician.

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

NET WEIGHT AND VOLUME
As Marked on Container

815710 6012

36

BETZ Laboratories, Inc./TREVOSE, PENNSYLVANIA

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

FUL OR FATAL IF SWALLOWED OR
RBED THROUGH SKIN. Causes eye
and skin irritations. Avoid breathing
or mist. Use with adequate ventilation.
get into eyes, on skin or clothing.
rubber gloves, and goggles or face
when handling.

ENVIRONMENTAL HAZARDS

icide is toxic to fish and wildlife. Do
ly in marine and/or estuarine oil
do not discharge into lakes, streams,
or public water unless in accordance
NPDES permit. For guidance contact
ional Office of the EPA. Do not con-
e water by cleaning of container and
ent or disposal of wastes. Apply this
only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

use, pour or store near heat or open
flame.

KEEP CONTAINER COVERED

STORE IN A DRY PLACE

DO NOT STORE AT ELEVATED TEMPERATURES

Contents: LIQUID

Active Ingredients:

p-Bromo *p*-Nitrostyrene 9.2%
Methylenebis (thiocyanate) 4.9%

Inert Ingredients*: 85.9%

*Inert ingredients include solubilizing
and dispersing agents.

EPA Reg. No. 3876-130

WEIGHT PER GALLON OF PRODUCT
8.04 Pounds (70F)

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink milk or plenty of water.
Do NOT induce vomiting. Immediately con-
tact physician.

In case of contact with eyes, flush eyes im-
mediately with plenty of clear water for at
least 15 minutes and immediately contact
physician.

In case of contact with skin, wash immedi-
ately with soap and plenty of water. Im-
mediately contact physician.

Immediately remove and wash contami-
nated clothing before reuse. Wash thor-
oughly after handling.

NET WEIGHT AND VOLUME
As Marked on Container

SUBSEQUENT DOSE: Continuously feed to
maintain a dosage of 3 to 50 pounds to 1000
barrels of water or 10 to 150 parts per million
in the system.

PACKER FLUIDS AND DRILLING MUDS

Add ER-16 directly to the packer fluid or drill-
ing mud at a rate of 50 to 500 pounds per
1000 barrels or 80 to 800 parts per million.
The dosage rate will depend upon the severity
of the problem.

This product and its use as a slime-control com-
position are covered by United States Patent
3,898,343.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by
storage or disposal. Open dumping is pro-
hibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or
chemically reprocessed should be disposed
of in a landfill approved for pesticides or
buried in a safe place away from water
supplies.

Triple rinse the container or equivalent
method before sending to drum conditioner
or destroying by perforation or crushing and
burying in a safe place. Consult Federal,
state or local authorities for approved alter-
native procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site prob-
lems is available from BETZ.