

BETZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of slime forming bacteria, fungi, algae and sulfide producing bacteria in c" field water, polymer, or mycellar floods, water disposal systems or other oil field water systems, packer fluids and drilling muds.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 3.0 to 100 pounds to 1000 barrels of water or 10 to 300 parts per million intermittently for 4-8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 3.0 to 35 pounds to 1000 barrels of water or 10 to 105 parts per million every 3 days or as needed to maintain control.

(Directions for use continued on right panel.)

BL5721 8004

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye burns and skin irritations. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves and goggles or face shield, when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply in marine and, or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

Contents: LIQUID

Active Ingredients:

Bis (trichloromethyl) sulfone	20.0%
Methylenebis (thiocyanate)	5.0%

Inert Ingredients*: 75.0%

*Inert ingredients include solubilizing and dispersing agents

EPA Reg. No. 3876-132

WEIGHT PER GALLON OF PRODUCT

8.9 Pounds (62F)

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, take patient immediately to a hospital or physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. If irritation persists, get medical attention.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

KEEP CONTAINER COVERED - PROTECT FROM FREEZING - DO NOT STORE A

BETZ Laboratories, Inc./TREVOSE, PA

Contents: LIQUID

Active Ingredients:

Bis (trichloromethyl)
sulfone 20.0%

Methylenebis (thiocyanate) 5.0%

Inert Ingredients*: 75.0%

*Inert ingredients include solubilizing
and dispersing agents

EPA Reg. No. 3876-132

WEIGHT PER GALLON OF PRODUCT

8.9 Pounds (62F)

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, take patient immediately to a hospital or physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. If irritation persists, get medical attention.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 3.0 to 100 pounds to 1000 barrels of water or 10 to 300 parts per million in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 3.0 to 25 pounds to 1000 barrels of water or 10 to 75 parts per million in the system.

PACKER FLUIDS AND DRILLING MUDS

Add ER-19 directly to the packer fluid or drilling mud at a rate of 50 to 500 pounds per 1000 barrels or 80 to 800 parts per million. The dosage rate will depend upon the severity of the problem.

The formulation and its use as a scale control composition are covered by United States Patent 3,426,134.

NET WEIGHT AND VOLUME


As Marked on Container

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.



3876-132

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.

PROTECT FROM FREEZING - DO NOT STORE AT ELEVATED TEMPERATURES

TREVOSE, PENNSYLVANIA/19047