

BETZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of slime-forming bacteria, fungi, algae and sulfide-producing bacteria in oil field water, polymer, or mycellar floods, water disposal systems or other oil field water systems, packer fluids and drilling muds.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million intermittently for 4-8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 10 to 50 pounds to 1000 barrels of water or 30 to 150 parts per million every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million in the system.

(Directions for Use continued on right panel.)

BL5728 8101

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

MAY BE FATAL IF SWALLOWED. May be absorbed through skin. Causes skin irritations. Do not get into eyes, on skin or clothing. Avoid breathing fumes or mist. Use with adequate ventilation. Wear rubber gloves and goggles or face shield when handling. Avoid storage near food and feed products.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

**KEEP CONTAINER COVERED
PROTECT FROM FREEZING
DO NOT STORE AT
ELEVATED TEMPERATURES**

Contents: LIQUID

Active Ingredients:

N-Alkyl (C₁₂-5%, C₁₄-60%
C₁₆-30%, C₁₈-5%) dimethyl
benzyl ammonium chloride ... 24.0%

Bis (tributyltin) oxide 5.0%

Inert Ingredients*: 71.0%

*Inert ingredients include solubilizing and dispersing agents.

EPA Reg. No. 3876-134

WEIGHT PER GALLON OF PRODUCT
8.2 Pounds (65F)

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash well with soap and water.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes.

In case of ingestion, take patient immediately to a hospital or physician.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

BETZ Laboratories, Inc./TREVOST, PENNSYLVANIA/1981

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

MAY BE FATAL IF SWALLOWED. May be absorbed through skin. Causes skin irritations. Do not get into eyes, on skin or clothing. Avoid breathing fumes or mist. Use with adequate ventilation. Wear rubber gloves and goggles or face shield when handling. Avoid storage near food and feed products.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

**KEEP CONTAINER COVERED
PROTECT FROM FREEZING
DO NOT STORE AT
ELEVATED TEMPERATURES**

Contents: LIQUID

Active Ingredients:

N-Alkyl (C₁₂-5%, C₁₄-60%
C₁₆-30%, C₁₈-5%) dimethyl
benzyl ammonium chloride ... 24.0%

Bis (tributyltin) oxide 5.0%

Inert Ingredients*: 71.0%

*Inert ingredients include solubilizing
and dispersing agents.

EPA Reg. No. 3876-134

**WEIGHT PER GALLON OF PRODUCT
8.2 Pounds (65F)**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash well with soap and water.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes.

In case of ingestion, take patient immediately to a hospital or physician.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 3 to 50 pounds to 1000 barrels of water or 10 to 150 parts per million in the system.

PACKER FLUIDS AND DRILLING MUDS

Add ER-25 directly to the packer fluid or drilling mud at a rate of 50 to 500 pounds per 1000 barrels or 80 to 800 parts per million. The dosage rate will depend upon the severity of the problem.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems is available from BETZ.

**NET WEIGHT AND VOLUME
As Marked on Container**