PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Titating to nose and throat. Avoid breatning dust, Use with adequate ventilation, Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only specified on this label.

PHYSICAL AND CHEMICAL HAZARDS
CHEMICAL HAZARD: STRONG OXIDIZING
AGENT. Mix only with water. Do not mix
with other chemicals. Do not use damp or
wet utensils. Contact with organic matter may cause violent reaction leading to
generation of heat, liberation of irritating
and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reseal the container.

ER-27

Contents: PELLETS

Active Ingredient:

Trichloro-s-triazinetrione 99.5% Inert Ingredients: 0.5%

Minimum available chlorine 89.0%

EPA Reg. No. 3876-136 NET WEIGHT

As marked on container

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

In case of ingestion, feed gruel, cooked cereai or bread soaked in milk followed by olive oil. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

in case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash thoroughly after handling, Immediately remove contaminated clothing and wash before reuse.

DIRECTIONS FOR USE

It is a violation of Federal law to us uct in a manner inconsistent with it

For the control of slime forming fungi, algae and sulfide-producing oil field water, polymer, or mycal water disposal systems or other oil systems, packer fluids and drilling.

This product may be added to the either continuously or intermitted needed. The frequency of feeding tion of the treatment will depend severity of the problem.

BADLY FOULED SYSTEMS must be fore treatment is begun.

INTERMITTENT OR SLUG ME

INITIAL DOSE: When the system is fouled, add 10 to 100 pounds to 1 of water or 30 to 300 parts per in mittently for 4-8 hours per day and 4 times per week or as needed. It control is achieved.

SUBSEQUENT DOSE: When microbic evident, add 10 to 50 pounds to 1 of water or 30 to 150 parts per m 3 days or as needed to maintain ca

CONTINUOUS FEED METH

INITIAL DOSE: When the system fouled, add 10 to 100 pounds to 10 of water or 30 to 300 parts per misystem.

BLS714 BOOK TO DUCUMENT AVAILABLE CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE - DO NOT STORE AT ELEVA

BETZ Laboratories, Inc. / TREVOSE, PENNSYLVANIA / 19047



ontents: PELLETS

ent:

iriazinetrione 99.5% ents: 0.5%

available chlorine 89.0%

Reg. No. 3876-136

NET WEIGHT arked on container

OF REACH OF CHILDREN DANGER

FIRST AID

ngestion, feed gruel, cooked tod soaked in milk followed by hediately contact physician.

stact with eyes, flush eyes imth plenty of water for at least that then get medical attention.

ract with skin, wash immediorp and plenty of water. Imtract physician.

Chly after handling, Immedicontaminated clothing and buse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of slime forming bacteria, fungi, algae and sulfide-producing bacteria in oil field water, polymer, or inycellar floods, water disposal systems or other oil field water systems, packer fluids and drilling muds.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million intermittently for 4-8 hours per day and from 1 to 4 times per week or as needed. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 10 to 50 pounds to 1000 barrels of water or 30 to 150 parts per million every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 10 to 100 pounds to 1000 barrels of water or 30 to 300 parts per million in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a desage of 3 to 50 pounds to 1000 barrels of water or 10 to 150 parts per million in the system.

PACKER FLUIDS AND DRILLING MUDS

Add ER-27 directly to the pocker fluid or drilling mud at a rate of 50 to 500 pounds per 1000 barrels or 80 to 800 parts per million.

of the problem. ACCEPTED

3876-136 MAR 13 1980

UNDER THE FLUERAL DISECTICIDS FUNDICHE AND PODENTICIDE ACT.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container. When not in use, store in cool, dry place, well ventilated away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material.

Do not reuse empty container.

Triple rinse or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe vivce.

FOR INDUSTRIAL USE ONLY

fechnical advice regarding specific problems is available from BETZ.

ITLY CLOSED - STORE IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

MEVOSE, PÉNNSYLVANIA / 19047