

BETZ

BEST DOCUMENT AVAILABLE

Siimicide C-58P

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS

BETZ Siimicide C-58P aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through, infiltro units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system every 3 days or as needed to maintain control.

(Directions for use continued on right panel.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves or face shield when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Do not use damp or wet utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reseat the container.

Contents: PELLETS

Active Ingredient:

Trichloro-s-triazinetrione 99.5%

Inert Ingredients: 0.5%

Minimum available chlorine 89%

EPA Reg. No. 3876-138

NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

810711 800

BEST DOCUMENT AVAILABLE

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE - DO NOT STORE

BETZ Laboratories, Inc.

C-50P

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

Contents: PELLETS

Ingredient:

Chloro-s-triazinetrione 99.5%

Inert ingredients: 0.5%

Minimum available chlorine 89%

EPA Reg. No. 3876-138

NET WEIGHT
As Marked on Container

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

In case of ingestion, feed gruel, cooked rice or bread soaked in milk followed by mineral oil. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes and then get medical attention.

In case of contact with skin, wash immediately with soap and plenty of water. Immediately contact physician.

Wash hands thoroughly after handling. Immediately remove contaminated clothing and before reuse.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.1 to 0.5 pound to 1000 gallons daily or 12 to 60 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.5 pound to 1000 gallons or 12 to 60 parts per million of water in the system.

STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult Federal, state or local authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific site problems available from BETZ.



STORE IN A DRY PLACE - DO NOT STORE AT ELEVATED TEMPERATURES

13

24