DATE

PRESIDENCE PRITION MAY BE HEER HATH CHOOKY IS SYMMISTER

SIGNATURE OF APPROVING OFFICIAL

BETZ[R]

slimicide C-74

Slime Control Agent

(FIRST PANEL)

PRECAUTIONARY STATEMENTS[14 5f]

HAZARDS TO HUMANS AND[12 bf]
DOMESTIC ANIMALS[12 bf]

DANGER[18 bf]

CORROSIVE. Causes eye and skin damage. Harmful if swallowed. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear rubber gloves, goggles or face shield when handling. Smediately remove and wash contaminded clothing before reuse. Wash the roughly after handling.

ENVIRONMENTAL HAZARDS[14bf]

This pasticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically idientified an addressed in an NPDES permit. Do not a scharge effluent containing theis product to sewer systems without previously in tifying the sewage treatment plant authority. For guidance contact your State Water Board Regional Office of the EPA. Apply this this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS[12bf]

Combustible. Do not use, pour or store near heat or open flames.

DIRECTIONS FOR USE[1461]

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS[12bf]

BETZ Slimicide C-74 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow through filters, lagoons, industrial water scrubbing systems and brewery pasteurizers.

with COMMENTS
In EPA Letter Dates:

JUL 29 1985

Under the Federal Insecticide, Fungiciate, and Podesticide Act as amended, for the pesticide registered under EPA Reg. No. This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

(Directions for Use continued on third panel.)

BLCCH051 8504

BETZ Laboratories, Inc.[Cont'd at bottom of second panel.]

(SECOND PANEL)

Contents: LIQUID

Active Ingredients:

Dodecylguanidine hydrochloride....5.0%

N-Alkyl (C -40%, C -50%,

12 14

C -10%) dimethylbenzyl am-

16

monium chloride.....8.0%

Inert Ingredients:....87.0%

EPA Reg. No. 3876-

WEIGHT PER GALLON OF PRODUCT 8.5 Pounds (70F)

NET WEIGHT OR VOLUME AS MARKED ON CONTAINER

KEEP OUT OF REACH OF CHILDREN[126f]

DANGER[1864]

STATEMENT OF PRACTICAL TREATMENT[146f]

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes. Immediately contact physician.

In case of ingestion, immediately con-

with COMMENTS in EPA Letter Dated:

JUL 29 1985

Under the Federal Insecticide. Funcicide, and Rodenticide Act as amended, for the pesticide regimered under EPA Reg. No.

tact physician.

## NOTE TO PHYSICIAN[bf]:

Mucosal damage may contraindicate the use of gastric lavage. Heasures against circulatory shock, respiratory depression, and convulsion may be needed.

A Material Safety Data Sheet contain~ ing more detailed information relative to this product is available upon re~ quest.

See left panel for additional Precautionary Statements.

with COMMENTS in EPA Letter Dated:

JUL 29 1985

Under the Federal Insecticide, Fungacide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg.

TREVOSE, PENNSYLVANIA 19047[Cont'd on bottom of third panel.]

(THIRD PANEL)

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD
INITIAL DOSE: When the system is noticeably
fouled, add Slimicide C-74 at the rate of 0.3
to 2.0 pounds (36 to 240 ppm) per 1000 gallons
of water in the system, Repeat until control
is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-74 at the rate of 0.15 to 1.5 pounds (18 to 180 ppm) per 1000 gallons of water in the system every 3 days or as needed to maintain control.

NTINUOUS FEED METHOD
INITIAL DOSE: When the system is notice—
ably fouled, add Slimicide C-74 at the
rate of 0.3 to 2.0 pounds (36 to 240 ppm)
per 1000 gallons of water in the system.

SUBSEQUENT DOSE: Continuously feed Slimicide C-74 to maintain a dosage of 0.15 to 1.5 pounds (18 to 180 ppm) per 1000 gallons of water in the system.

## STORAGE AND DISPOSAL[12bf]

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated temperatures.

PESTICIDE DISPOSAL: Do not contaminate water/ food or feed by storage or disposal.

Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess

pesticide, spray mixture, ( rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## CONTAINER DISPOSAL:

Metal and Plastic Containers[bf]: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn if allowed by state or local authorities. If burned, stay out of smoke.

Fiber Drums with Liners[bf]: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then spose of liner and drum in a sanitary landfill or incinerate is allowed by state and local authorities. Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

Telephone: 215-355-3300

MOCERTED

AND COMMENTS

IN EPA Loater Dates

JUL 29 1985

Under the Finder Inserticide Act

Under the Finder Inserticide

Functionale, and Rodenheide pesticide

Functionale, and for the pesticide

amended under EPA Res.