

#### OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 8, 2024

Coleen Gerber Veolia WTS USA,LLC. Regulatory Specialist

Electronic Transmittal: coleen.gerber@veolia.com

Subject: Notification per PRN 98-10 – Added company name, phone number and address

with graphic logo

Product Name: SLIMICIDE C-74 EPA Registration Number: 3876-145

Received Date: 09/29/2023 Action Case Number: 00486790

#### Dear Coleen Gerber:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Page 2 of 2 EPA Reg. No. 3876-145 Action Case Number 486790

If you have any questions, please contact Casscius Colbert at by email at colbert.casscius@epa.gov.

Sincerely, Hoatherayame

Heather A. Garvie

Senior Regulatory Advisor

Regulatory Management Branch 2

**Antimicrobials Division** 

Office of Pesticide Programs

#### NOTIFICATION

#### 3876-145

The applicant has certified that no changes, other than those reported to **SLIMICIDE C-74** the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

01/08/2024

Slime Control Agent

ACTIVE INGREDIENTS:	
Dodecylguanidine hydrochloride	5.0%
N-Alkyl (C12- 40%, C14- 50%, C16- 10%) dimethylbenzyl ammonium chlorid	le 8.0%
INERT INGREDIENTS:	87.0%
TOTAL:	100.0%

**CONTENTS: LIQUID** 

POUNDS PER GALLON: 8.5 (70°F)

**EPA REGISTRATION NUMBER: 3876-145** 

EPA ESTABLISHMENT NUMBER: XXXX-XX-XX

#### KEEP OUT OF REACH OF CHILDREN

#### DANGER **PELIGRO**

FIRST AID		
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	• Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
If on skin or	Take off contaminated clothing.	
clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
If swallowed	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by a poison control center or	
	doctor.	
	Do not give anything by mouth to an unconscious person.	
If inhaled	Move person to fresh air.	
	• If person is not breathing, call 911 or an ambulance, then give artificial	
	respiration, preferably mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
HOT LINE NUMBER: 1-800-722-7112		
Have the produ	act container or label with you when calling a poison control center or doctor, or	

going for treatment. You may also contact 1-800-877-1940 for emergency medical treatment information.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER PELIGRO

CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin or inhaled. Do not get into eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear goggles or face shield (safety glasses), protective clothing and chemical resistant rubber gloves. Wash hands before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Apply this pesticide only as specified on this label.

#### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE INSTRUCTIONS: Store in original container. Keep from freezing.

SPILL OR LEAK PROCEDURE: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for reconditioning if appropriate. Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### RECIRCULATING COOLING WATER SYSTEMS

This product aids in the control of mollusca, barnacles, hydrozoa. bryozoa and of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water system, commercial and industrial cooling towers, influent systems such as flow-through filters and lagoons, industrial water scrubbing systems and brewery pasteurizers. This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem. BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

# FOR THE CONTROL OF MOLLUSCA, BARNACLES, HYDROZOA, BRYOZOA, BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.3 to 2.0 pounds (36 to 240 ppm) per 1000 gallons of water in the system. Repeat until control is achieved. SUBSEQUENT DOSE: When control is evident, add this product at the rate of 0.15 to 1.5 pounds (18 to 180 ppm) per 1000 gallons of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.3 to 2.0 pounds (36 to 240 ppm) per 1000 gallons of water in the system. SUBSEQUENT DOSE: Continuously feed this product to maintain a dosage of 0.05 to 0.5 pound (6 to 60 ppm) per 1000 gallons of water in the system.

### ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

This product aids in the control of mollusca, barnacles, hydrozoa bryozoa and of algal, bacterial, fungal slimes in once-through the closed-cycle fresh and sea water cooling systems, cooling ponds, canals and lagoons. This product may be added to the system inlet water or before any contaminated area in the system. Addition of this product should be made with a metering pump, it may be continuous or intermittent depending upon the severity of contamination when treatment is begun, and the retention time in the system. BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

## FOR THE CONTROL OF MOLLUSCA, BARNACLES, HYDROZOA, BRYOZOA, BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD - INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pounds (24 to 120 ppm) per 1000 gallons of water based on the flow rate through the system. Minimum treatment intervals should be 15 minutes. Repeat until control is achieved. SUBSEQUENT DOSE: When control is evident, add this product at the rate of 0. 5 to 0.5 pounds (6 to 60 ppm) per 1000 gallons of water based on the flow rate through the system intermittently as needed to maintain control. CONTINUOUS FEED METHOD – INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.2 to 1.0 pounds (24 to 120 ppm) per 1000 gallons of water based on the flow rate through the system. Continue until control is achieved. SUBSEQUENT DOSE: When control is evident, pump a continuous feed of this product at the rate of 0.02 to 0.2 pounds (2.4 to 24 ppm) per 1000 gallons of water based on the flow rate through the system.

AUXILIARY WATER SYSTEMS This product is for non-potable auxiliary water systems. This product is effective for the control of mollusca, barnacles, hydrozoa, bryozoa and of odorforming and slime-forming bacteria, fungi and algae in fresh, salt, or brackish auxiliary water systems such as fire protection systems, construction water lagoons, production or manufacturing water ponds for non-potable industrial water intake systems. This product may be added to the system by slug or intermittent feed. The frequency of feed and the duration of treatment will depend upon the severity of the contamination. Additions to lagoons or ponds should be made during the pumping operation and as close to the pump as possible to ensure adequate mixing. Additions to intakes of fire protection systems and industrial water systems directly to the pump chambers or just ahead of screen chambers and grit capture chambers. INTERMITTENT OR SLUG METHOD: When treatment is required, add this product at the rate of 1.5 to 4.0 pounds per 1000 gallons of water already in the system, or being added to the system, for 4 to 8 hours, 1 to 4 times per week or as needed to achieve the desired level of control. When control is obtained, add this product at the rate of 0.75 to 2.0 pounds per 1000 gallons of water in the system.

#### WASTEWATER SYSTEMS

This product is effective for the control of mollusca, barnacles, hydrozoa, bryozoa and of odorforming and slime-forming bacteria, fungi and algae in wastewater collection systems such as holding or recovery storage tanks, associated piping, settling ponds or lagoons, trickling filter, aeration basins, primary and final settling clarifiers, transport spillways or canals and disposal wells. This product is not intended to be used in oxidation ponds or lagoons (aerobic and or anaerobic) or aerobic and anaerobic sludge digesters. This product may be added to the system by slug or intermittent feed. The frequency of feed and the duration of treatment will depend upon the severity of the contamination. Additions to water systems should be made during the pumping operation and as close to the pump as possible to ensure adequate mixing. INTERMITTENT OR SLUG METHOD: When treatment is required, add this product at the rate of 1.5 to 4.0 pounds per 1000 gallons of water already in the system, or being added to the system, for 4 to 8 hours, 1 to 4 times per week or as needed to achieve the desired level of control. When control is obtained, add this product at the rate of 0.75 to 2.0 pounds per 1000 gallons of water in the system.

Veolia WTS USA, Inc. 3600 Horizon Boulevard Trevose, PA 19053

Business Phone: 215-355-3300 Emergency Phone: 800-877-1940

{All text in brackets [xxx] is optional and may or may not be intended for final or market label.} {All test in braces {xxx} is administrative and will not appear on a final or market label.}

[Lot] [Batch] Number: Material ID: Net Weight: Packaging Date: Made in:

{Optional Logos/Graphics}





