

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	3876-100	FEB 3 1986
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT	
	SLEBOLIN	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

FMC CORPORATION, INC.
 4830 WILSON ROAD
 WASHINGTON, D.C. 20047

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.


Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration notice is being issued in accordance with FIFRA section 3(c)(7)(A) subject to the following conditions:

(1) It is understood that you will submit and/or cite all data required for registration/reregistration of your product under FIFRA 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

(2) You will submit five copies of your finished printed labels complying with the requirements or revisions specified in the attachment to this registration notice. These labels must be submitted to the Agency before the product is released for shipment, as required by PR Notice 82-2 of June 18, 1982.

A stamped copy of the draft label is enclosed for your records. Your release of the product for shipment constitutes acceptance of these conditions. If the conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(c).


 A. J. Castillo
 Product Manager (32)
 Disinfectants Branch
 Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

ATTACHMENT TO EPA REGISTRATION NOTICE

EPA Registration No. 3876-146 Date Issued FEB 3 1986

Company Name Betz Laboratories, Inc.

Product Name Slimicide C-76

The following requirements or revisions apply to the label which was accepted with this Registration Notice:

- The Registration Number which has been assigned to this product must appear on the label as EPA Registration No. 3876-146.
- Five copies of the finished printed labels, as defined in the A-79 Enclosure, must be submitted to the Agency before the product is released for shipment to comply with PR Notice 82-2 of June 18, 1982.
- The finished printed labels must comply with the general labeling requirements of Section 162.10 of Title 40 of the Code of Federal Regulations. If the label does not satisfy these requirements it will be rejected.

B E T ZLRJ

Slimecide C-76

Slime Control Agent

(FIRST PANEL)

PRECAUTIONARY STATEMENTS SL14bfJ

HAZARDS TO HUMANS AND DOMESTIC ANIMALS SL12bfJ

WARNING SL18bfJ

Do not take internally. Causes eye and skin irritation. Do not get into eyes, on skin or on clothing. Do not inhale vapor or mist. Use with adequate ventilation. Wear protective gloves and goggles when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS SL14bfJ

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Board or Regional Office of the EPA. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS SL14BFJ

Do not use, pour or store near heat or open flame.

DIRECTIONS FOR USE SL14bfJ

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS SL12bfJ

Slimecide C-76 aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent systems such as flow-through filters, lagoons, industrial water scrubbing systems and brewery pasteurizers.


This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and

ACCEPTED with COMMENTS in EPA Letter Dated:

FEB 3 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3876-146



duration of the treatment will depend upon the severity of contamination.

BADLY FULLED SYSTEMS must be cleaned before treatment is begun.


(Directions for Use continued on third panel.)

6L00H054-8577

BETZ Laboratories, Inc. TREVCOSE, [Cont'd bottom 2nd panel.]

(SECOND PANEL)

1		1
1	Contents: LIQUID	1
1		1
1	Active Ingredients:	1
	beta-Bromo-beta-Nitrostyrene.....10.0%	
	Bis(trichloromethyl) sulfone.....2.5%	
1	Inert Ingredients*.....87.5%	1
1		1
1	Total.....100.0%	1
1		1
1	* Inert ingredients include solubilizing	1
1	and dispersing agents.	1
1		1
1	EPA Reg. No. 5876-XXX	1
1		1
1	WEIGHT PER GALLON OF PRODUCT	1
1	7.9 POUNDS (70F)	1
1		1
1	NET WEIGHT OR VOLUME	1
1	AS MARKED ON CONTAINER	1
-----		1
-----		1
1		1
1	KEEP OUT OF REACH OF CHILDREN L12bfJ	1
1		1
1	WARNING L18bfJ	1
1		1
1	STATEMENT OF PRACTICAL TREATMENT L14bfJ	1
1		1
1	In case of contact with skin, wash immediately	1
1	with plenty of soap and water. Immediately con-	1
1	tact physician.	1
1		1
1	In case of contact with eyes, flush promptly	1
1	and thoroughly with plenty of clear water for	1
1	at least 15 minutes. Immediately contact physi-	1
1	cian.	1
1		1
1	In case of ingestion, immediately contact physician.	1
1	Never give anything by mouth to an unconscious person.	1
1		1
1	A Material Safety Data Sheet containing more detailed	1
1	information relative to this product is available upon	1
1	request.	1
-----		1



See left panel for additional Precautionary Statements.

PENNSYLVANIA 19047 Telephone: 215-355-3300

(THIRD PANEL)

FOR THE CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-76 at the rate of 0.1 to 1.5 pounds (12 to 120 ppm) per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When control is evident, add Slimicide C-76 at the rate of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons of water in the system every 5 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-76 at the rate of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons of blowdown (or water loss) from the system.

SUBSEQUENT DOSE: Continuously feed Slimicide C-76 to maintain a dosage of 0.025 to 0.75 pound (3 to 90 ppm) per 1000 gallons of blowdown (or water loss) from the system.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS [12b f]

Slimicide C-76 aids in the control of algal, bacterial and fungal slimes in once-through fresh and sea water cooling systems, cooling ponds, canals and lagoons. This product may be added to the system inlet water or before any contaminated area in the system.

Addition of Slimicide C-76 should be made with a metering pump: it may be continuous or intermittent depending upon the severity of contamination when treatment is begun, and the retention time in the system.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR THE CONTROL OF BACTERIA, FUNGI AND ALGAE


INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-76 at the rate of 0.05 to 1.0 pound (6 to 120 ppm) per 1000 gallons of water in the system. Minimum treatment intervals should be 15 minutes. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-76 at the rate of 0.05 to 0.75 pound (6 to 90 ppm) per 1000 gallons of water in the system intermittently as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add



Slimecide C-76 at the rate of 0.05 to 0.75 pound (6 to 90 ppm) per 1000 gallons of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, pump a continuous feed of Slimecide C-76 at the rate of 0.025 to 0.5 pound (3 to 60 ppm) per 1000 gallons of water based on the flow rate through the system.

(FOURTH PANEL)

AUXILIARY WATER AND WASTE WATER SYSTEMS L12b1J

Slimecide C-76 is effective for the control of odor-forming and slime-forming bacteria, fungi and algae in auxiliary water, waste water and waste material disposal, holding or recovery systems such as storage tanks, storage piles, associated piping, (filling ponds or lagoons, transport spillways or canals and disposal wells.

Slimecide C-76 may be added to the system by slug or intermittent feed or by spraying onto a waste pile. The frequency of feed or spray and the duration of treatment will depend upon the severity of the microbial contamination. Additions to water systems should be made during the pumping operation and as close to the pump as possible to insure adequate mixing.

INTERMITTENT OR SLUG METHOD

When treatment is required, add Slimecide C-76 at the rate of 0.1 to 2.0 pounds per 1000 gallons of water already in the system, or being added to the system, for 4 to 8 hours, 1 to 4 times per week or as needed to achieve the desired level of control.

When control is obtained, add Slimecide C-76 at the rate of 0.05 to 1.0 pound per 1000 gallons of water in the system.


| STORAGE AND DISPOSAL L12b1J |

| STORAGE: Keep container tightly closed. Protect from | freezing. Store in a dry place. Do not store at ele- | vated temperatures. |

| DISPOSAL: Do not contaminate water, food or feed by | storage or disposal. |

PESTICIDE DISPOSAL L1b1J

| Pesticide wastes are acutely hazardous and/or toxic. | Improper disposal of excess pesticide, spray mixture, | or rinsate is a violation of Federal law. If these | wastes cannot be disposed of by use according to | label instructions, contact your State Pesticide or | Environmental Control Agency or the Hazardous Waste | representative at the nearest EPA Regional Office | for guidance. |



CONTAINER DISPOSAL

Metal and Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

Fiber Drums with Liners: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by state and local authorities. Do not reuse empty drum or liner.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BEI.

