



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 11, 2024

Coleen Gerger
Regulatory Specialist
Veolia WTS USA, Inc.
Electronic Transmittal: [coleen.gerger@veolia.com]

Subject: Notification per PRN 98-10 – Notification of Company Name Change
Product Name: SPECTRUS OX1201
EPA Registration Number: 3876-159
Received Date: 9/29/2023
Action Case Number: 00486895

Dear Coleen Gerger:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Assurance.


Page 2 of 2

EPA Reg. No. 3876-159

Action Case Number 00486895

If you have any questions, please contact Jack Hall at (202)566-0731 or by email at hall.john.j@epa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Jack Hall". The signature is written in a cursive style with a large initial "J" and a long horizontal stroke at the end.

for Demson Fuller,
Product Manager 32
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

SPECTRUS® OX1201

For use as a disinfectant, bactericide, slimicide, algicide and mollusk control agent for control of microbial slime in recirculating cooling water systems, brewery pasteurizing systems, air washers, once through cooling water and wastewater treatment systems, and pulp and paper mills.

ACTIVE INGREDIENT:

Sodium bromide..... 40.0%

INERT INGREDIENTS:..... 60.0%

TOTAL:..... 100.0%

CONTENTS: LIQUID

POUNDS PER GALLON: 11.9 (70°F)

EPA REGISTRATION NUMBER: 3876-159

EPA ESTABLISHMENT NUMBER: XXXX-XX-XX

NOTIFICATION

3876-159

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/11/2024

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER: 1-800-722-7112	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-877-1940 for emergency medical treatment information.	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

IRRITATION MAY DEVELOP FROM EYE AND SKIN EXPOSURE. Avoid contact with eyes. Wear gloves and safety goggles. Wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Sodium bromide is not flammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-contained breathing apparatus.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For product use see panel 2.

For Industrial Use. Technical advice regarding specific site problems is available from **Veolia WTS USA, Inc.** A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

STORAGE AND DISPOSAL

STORAGE: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area. Product should be stored at 50°F (10°C) or above.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **DO NOT REUSE EMPTY CONTAINER.** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate. Burn only if allowed by state and local authorities. If burned, stay out of smoke.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for reconditioning if appropriate. Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label and use strictly in accordance with precautionary statements and directions.

RECIRCULATING COOLING WATER SYSTEMS, INCLUDING AIR WASHERS AND BREWERY PASTEURIZERS

When used as directed, this product effectively controls algal, bacterial, fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in commercial and industrial cooling towers; influent water systems such as flow through filters; heat exchange water systems; and industrial water scrubbing systems.

DOSAGE RATES: Add this product to the system at 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; 2) 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

INITIAL DOSE: When the system is noticeably fouled, add 0.0003 to 0.024 gallon of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.040 lb. gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water). **SUBSEQUENT DOSE:** When microbial control is evident, add 0.0002 to 0.024 gallon of this product per 1000 gallons of water contained in the system, and oxidize with either gas chlorine (0.004 to 0.040 lb. gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 to 0.0032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS

When used as directed, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in once-through fresh and sea water cooling systems and disinfects secondary and tertiary wastewater treatment systems.

DOSAGE RATES: Add this product to the system at 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide

solution; 2) 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

INITIAL DOSE: When the system is noticeably fouled, add 0.0008 to 0.049 gallon of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.02 to 0.08 lb. gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.02 to 0.06 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume). **SUBSEQUENT DOSE:** When microbial control is evident, add 0.0003 to 0.049 gallon of this product per 1000 gallons of water contained in the system, and oxidize with either gas chlorine (0.008 to 0.08 lb. gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.006 to 0.06 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

PULP AND PAPER MILLS

When used as directed this product effectively controls algal, bacterial, and fungal slime in pulp and paper mill fresh and sea water effluent water systems, cooling water systems, wastewater treatment systems, non-potable water systems, and other process water.

DOSAGE RATES: Add this product to the system at a 0.125 to 2.0 sodium/bromide/oxidant ration. For example: 1) 1.6 to 2.65 pounds of chlorine gas (99.9%) per gallons of sodium bromide solution; 2) 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution. Add sufficient amount of this product and oxidize with either gas chlorine or sodium hypochlorite solution to achieve a residual bromine level of 0.5 to 5 ppm or as needed to maintain control of the system. This product can be added whenever chlorination is applied.

Feed this product either before or after the oxidant injection point into the water to be treated. Be sure rapid mixing of the treated water, this product and oxidant is achieved. Pump manufacturers can recommend the appropriate materials of construction and capacity for a pump to feed this product or sodium hypochlorite solution. If used as the oxidant, chlorine gas must be handled and used only in accordance with practices recommended in The Chlorine Manual published by the Chlorine Institute, Inc., New York. Use chlorine gas only in well ventilated areas.

Treatment levels of this product and oxidant can best be measured with test kits for either bromine or chlorine. Tests should be made immediately after drawing water samples from the system. Use test kids according to directions: 1. When a bromine test kit is used, results can be read directly as ppm bromine. 2. When a chlorine test kit is used, results can be expressed in terms of bromine by multiplying chlorine values by the conversion factor of 2.25.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Veolia WTS USA, Inc.
3600 Horizon Boulevard
Trevose, PA 19053
Business Phone: 215-355-3300
Emergency Phone: 800-877-1940

{All text in brackets [xxx] is optional and may or may not be intended for final or market label.}
{All text in braces {xxx} is administrative and will not appear on a final or market label.}

[Lot] [Batch] Number:

Material ID:

Net Weight: _____

Packaging Date:

Made in:

{Optional Logos/Graphics}

