

DIRECTIONS

For Space Spraying Dairy Barns -- After the cattle are in the barn, fog the entire area with the Hercules Fogger or Compressed Air Sprayer. Direct the spray toward the ceiling. Do not spray directly on the animals. Allow sufficient time for the fog to settle before milking the cows. Do not allow the mist to get into milking equipment. Spraying should be repeated before each milking or when insect populations increase to the nuisance stage.

CAUTION: SPRAY-SECT is a combustible mixture and should not be sprayed near an open flame. Avoid contamination of feed and food-stuff. Harmful if swallowed.

NET CONTENTS:

CONCENTRATED INSECTICIDE

EPA Reg. No. 3885-10-AA

ACCEPTED
Aug 4, 1972
13537

ACTIVE INGREDIENTS

- Refined Mineral Oil
- Technical Piperonyl Butoxide*
- N-octyl bicycloheptenedicarboximide
- Pyrethrins

*Consists of (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

SPRAY-SECT is a contact insecticide incorporating pyrethrum and a synergist in a highly refined mineral oil base. SPRAY-SECT will not stain when used as directed.

SPRAY-SECT will kill the exposed stages of Hornflies, Stableflies, Gnats, Mosquitoes and Houseflies.

NOTE: This product is toxic to fish and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE:

KEEP FROM FREEZING. If this product is stored in cold or freezing weather it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

PRINTED IN U.S.A.

YOU CAN RELY ON



CAUTION:

KEEP OUT OF REACH OF CHILDREN

(See Side Panel for additional cautions.)

An exclusive product of CERTIFIED LABORATORIES, INC.
Ft. Worth, Tex. • Mountain View, Calif. • Kendall Park, N.J.
P. O. BOX 2492 FT. WORTH, TEXAS 76101

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. (L-12) 3-72