

WACO PYRENONE

OIL TYPE 2.4 0.24

EPA Reg. No. 3886-20

An effective Semi-Concentrated PYRENONE Insecticide.

For application in Tifa, Challenger, Tornado, Dyna Fog, Microsol, Halaby, Klip On, Commander, Bes Kill and similar conventional thermal, mechanical or compressed air fogging equipment.

For use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings and Food Processing or Handling Plants.

ACTIVE INGREDIENTS	100
Pyrethrins	0.24
Piperonyl Butoxide, Technical	2.40
Petroleum Distillate	97.36
*Equivalent to 1.92 (butylcarbityl) (6-propylpiperonyl) ether and .48 related compounds.	

CAUTION

KEEP OUT OF REACH OF CHILDREN

See label panel for additional precautions.

NET CONTENTS

Manufactured By:
Euphron Enterprises, Inc.
93 Ford Lane
Hazelwood, Missouri 63042

Use fogging equipment at least 10 feet from food. This is an insecticide fogging machine. It is designed to treat a space of 1000 cubic feet of space. The fogger rate may be used at machine settings and in practice for a part of the spray mist. The dosage and distribution should be adjusted to the roughly fit the enclosure with vapor or fog. Fogger are closed for at least 15 minutes. Vapors treated area and ventilate before reoccupying. Repeat treatment as necessary.

Infested stored food products should be fumigated or treated by other effective methods using an approved area and treated for this purpose.

SPACE FOGGING


The above described application will kill the possible exposed stages of flies including fruit flies, mosquitoes, and moths, gnats, wasps and hornets.

CONTACT FOGGING

The above described application will kill the exposed stages of silverfish, crickets, roaches, spiders, scorpions, lice, mites, fleas, beetles, cheese skippers, and those common stored product pests, granary weevil, rice weevil, grain beetle, stored flour beetle, cigarette beetle, longhorn beetle, Angoumois grain moth, Mediterranean flour moth, Indian meal moth, stored grain moths, mealworm and grain mites.

SURFACE APPLICATION

To increase maximum control of this insecticide, apply as a surface treatment to cracks, crevices, and other hiding places, especially in stored food products, and other areas where these insects may be found. Do not use on food.



CAUTION

Do not eat, drink, or swallow. Avoid contamination of food or food stuffs.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is out in operation.

Do not remain in treated areas and ventilate the area after treatment is completed.

This insecticide is an oil base material and should not be applied, stored or otherwise exposed to an open flame. If more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid fire, keep fire extinguisher.

Do not use on pets, birds, and livestock until 24 hours before spraying.

Do not use on fish. Keep away from fish, streams, ponds, lakes, and streams. Do not use on fish, streams, ponds, lakes, and streams. Do not use on fish, streams, ponds, lakes, and streams.

Do not use on fish, streams, ponds, lakes, and streams. Do not use on fish, streams, ponds, lakes, and streams.