

[3886-2!]

**DIRECTIONS**

Close windows and doors and shut off ventilating systems. Using a specified fogging or vaporizing applicator, apply at a rate of 1 to 2 ounces per 1,000 cubic feet of space. The lower rate may be used at machine settings which provide finer particles or spray mist. The dosage and distribution should be sufficient to thoroughly fill the enclosure with vapor or fog. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before re-occupying. Repeat treatment as necessary.

Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

**SPACE FOGGING**

The above described application will kill accessible exposed stages of flies, including fruit flies, mosquitoes, flying moths, gnats, wasps and hornets.

**CONTACT FOGGING**

The above described application will kill accessible exposed stages of silverfish, crickets, roaches, spiders, scorpions, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevil, rice weevil, grain beetle, confused flour beetle, cigarette beetle, drugstore beetle, Angoumois grain moth, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worm and grain mites.

**SURFACE APPLICATION**

To insure maximum control of crawling insects listed, apply as a coarse, wet mist directed toward insects, hit insects directly whenever possible, into cracks, crevices, around machinery, around containers or stored products and other areas wherever these insects may hide. Repeat as necessary.

# WACO PYRENONE

~~OIL TYPE 20-03~~

EPA Reg. No. 3886-21

An effective Semi-Concentrated PYRENONE Insecticide.

For application in Tifa, Challenger, Tornado, Dyna-Fog, Mircosol, Halaby, Klip-On, Commander, Bes-Kill and similar conventional thermal, mechanical or compressed air fogging equipment.

For use in Bakeries, Food Plant, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings and Food Processing or Handling Plants.

<b>ACTIVE INGREDIENTS</b>	<b>100%</b>
Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	3.0%
Petroleum Distillate	96.7%
*Equivalent to 2.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds.	

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

See rear panel for additional precautions

**NET CONTENTS**

Manufactured By:  
Ferguson Fumigants, Inc.  
93 Ford Lane  
Hazelwood, Missouri 63042

**CAUTION**

Harmful if swallowed. Avoid contamination of feed or food stuffs.

The use of this product as a space spray in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Do not remain in treated areas and ventilate the area after treatment is completed.

This insecticide is an oil base material and should not be sprayed, stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid an explosion hazard.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place or return to drum reconditioner.