

CONCENTRATE RODENTICIDE KILLS RATS and MICE

Anti-coagulant for Rodent Centrol

100 Pounds

Some out or the reach of similaron.

The seach of similaron editors a pre-autions

ACCEPTED

HODER THE FEDERAL INSECTION
FIN HOLE AN
LOS COMMANDES

INGREDIENTS:

Active Ingredient

3 — (Alpha-Acetonylfurfuryl)

4 — Hydroxycoumarin.

Inert Ingredient

(starch)

SD

99.5%

100.00%

NEOCHEM Products Company

DIRECTIONS

- (a) Thoroughly mix one part (by weight) of rodenticide with nineteen parts of dry cereal bait.
- (b) Place bait in locations where rats and mice feed, water or travel.
- (c) Bait placements along walls, in corners, and in concealed locations where rats and mice feed are desirable.
- (d) Place baits in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes.

For Rat Control:

- (a) Place at least four ounces of bait at each bait location.
- (b) Maintain an uninterrupted supply of bait in the stations for approximately 10 days.

For Mouse Control:

- (a) Place tablespoon amounts of bait at 8-10 feet intervals.
- (b) Maintain an uninterrupted supply of bait for at least 10 days.

Note:

If bait molds, decomposes, or becomes sour, replace with fresh materials.

CAUTION

Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, the intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.