ANCO ALGAECIDE N

FOR CONTROL OF SLIMES, FUNGI AND ALGAE IN COOLING TOWERS AND AIR

ACCEPTED

Oct 24-1968

- REDUCES MANUAL CLEANING
- PREVENTS SLIMES, FUNGI AND ALGAE
- HELPS PREVENT CORROSION
- NON-CORROSIVE TO METALS

WARNING: Keep out of reach of children.

See following for additional precautions.

Manufactured and Sold by

ANDERSON CHEMICAL COMPANY, Inc. P. O. Box 4507 Macon, Georgia

WARNING: Causes skin irritatic Avoid contact with skin, eyes, or immediately flush skin or eyes wi 15 minutes. For eyes get medical a ing contaminated with this solution not contaminate or store near fee

INSTRUCTIONS FOR USE:

Add one quart of ALGAECIDE No. gallons of water for moderately f for heavily fouled systems. Slug weekly intervals or as needed; for and algae. Where large clumps o be desirable to install a screen in of small orifices.

(See your service engineer for spe

ACTIVE INGREDIE Sodium Orthobenzy INERT INGREDIEN

USDA Registration
Net contents as sho





TROL OF SLIMES, FUNGI AND ALGAE IN COOLING TOWERS AND AIR WASHERS.

ACCEPTED

3931-3

Oct 24-1968

UCES MANUAL CLEANING

VENTS SLIMES, FUNGI AND ALGAE

PS PREVENT CORROSION

N-CORROSIVE TO METALS

: Keep out of reach of children. See following for additional precautions.

Manufactured and Sold by

SON CHEMICAL COMPANY, Macon, Georgia Box 4507 DESENSONS DESIGNATIONS OF THE PROPERTY OF THE

WARNING: Causes skin irritation.

Avoid contact with skin, eyes, or clothing. in case of contact, immediately flush skin or eyes with plenty cf water for at least 15 minutes. For eyes get medical attention. Do not wear clothing contaminated with this solution. Harmful if swallowed. Do not contaminate or store near feed or foodstuffs.

INSTRUCTIONS FOR USE:

Add one quart of ALGAECIDE No. 1 to the system for each 1,000 gallons of water for moderately fouled systems. Use two quarts for heavily fouled systems. Slug treatment is recommended, at weekly intervals or as needed; for the control of slimes, fungi, and algae. Where large clumps of growth are loosened, it may be desirable to install a screen in the sump to prevent clogging of small orifices.

(See your service engineer for special applications).

ACTIVE INGREDIENTS:

Sodium Orthobenzylparachlorophenol INERT INGREDIENTS:

19.85% 80.15% 100.00%

USDA Registration No. 3931-3 Net contents as shown on drum.