

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

CORROSIVE.

CAUSES EYE DAMAGE AND SKIN BURNS.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY BE HARMFUL IF INHALED.

**MAY BE FATAL IF SWALLOWED OR
ABSORBED THROUGH THE SKIN.**

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in a manner other than as directed by label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured By

ANDERSON CHEMICAL COMPANY

1840 Waterville Road

P.O. Box 4507 • Macon, Georgia 31213

ANCO MICROBICIDE 77

**INDUSTRIAL MICROBICIDE FOR USE IN RECIRCULATING WATER
COOLING TOWERS AND AIR WASHER SYSTEMS**

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15%

2-Methyl-4-isothiazolin-3-one 0.35%

INERT INGREDIENTS: 98.50%

TOTAL 100%

ANCO MICROBICIDE 77 Weighs 8.4 lbs. per Gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACCEPTED
OCT 04 1982
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3931-7

EPA Est. No. 3931-GA-1
EPA Reg. No. 3931-7

NET CONTENTS _____
GALLONS

GENERAL
It is a violation of the Federal Insecticide, Fungicide and Rodenticide Act to use this pesticide in a manner inconsistent with its labeling.

INDUSTRIAL WATER COOLING TOWERS AND AIR WASHER SYSTEMS

For the control of microorganisms in recirculating water in the cooling towers and air washer systems, add 113 fluid ounces of ANCO Microbicide 77 to the total volume of water in the system.

INITIAL DOSE: 883 ppm ANCO Microbicide 77 in the water in the system.

SUBSEQUENT DOSE: 218 ppm ANCO Microbicide 77 in the water in the system.

AIR WASHER SYSTEMS
Add to the total volume of water in the system 35 pounds or 4,100 gallons of ANCO Microbicide 77 to control microorganisms in the system.

INTERMITTENT USE
INITIAL DOSE: 883 ppm ANCO Microbicide 77 in the water in the system.
SUBSEQUENT DOSE: 218 ppm ANCO Microbicide 77 in the water in the system.

CONTINUOUS USE
INITIAL DOSE: 883 ppm ANCO Microbicide 77 in the water in the system.
SUBSEQUENT DOSE: 218 ppm ANCO Microbicide 77 in the water in the system.
NOTE: For use in a system where the water is continuously recirculated, the water in the system should be replaced weekly or as needed.
STORAGE: Store in a cool, dry place. Do not store in a metal container.
DISPOSAL: Do not reuse. Recycle or dispose of in accordance with local, state, or federal regulations.

ANCO 77

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

..... 1.16%
..... 0.35%
..... 98.50%

TOTAL.....100%

ACCEPTED
FOR THE FEDERAL
INDEMNITY ACT
NOV 04 1982
FEDERAL INDEMNITY
AND REIMBURSEMENT
ACT FOR THE PESTICIDE
INDUSTRY
3931-7

a large quantity of milk,
are not available, drink
water. Call a physician im-

mediately, apply artificial res-
piration. Call a physician.

Remove and wash con-

tailed. Call a physician.

gastric lavage. Measures
and decontamination may be needed.

STATEMENTS.

CONTENTS
GALLONS

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

For the control of bacteria, algae and fungi, add ANCO MICROBICIDE 77 to the tower basin, distribution box or some other point to insure uniform mixing.

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm ANCO MICROBICIDE 77 (1.26 to 7.48 pounds or 19 to 113 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm ANCO MICROBICIDE 77 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water in the system) weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

AIR WASHER SYSTEMS

Add to the air washer sump or chill water sump, to insure uniform mixing, 35 to 883 ppm ANCO MICROBICIDE 77 (0.3 to 7.48 pounds or 4.5 to 113 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water in the system) depending upon the severity of contamination to control bacteria, fungi and algae which cause fouling in industrial air washer systems.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, apply 148 to 883 ppm ANCO MICROBICIDE 77 (1.26 to 7.48 pounds or 19 to 113 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water in the system). Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 35 to 219 ppm ANCO MICROBICIDE 77 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water) weekly or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is just noticeably fouled, apply 148 to 883 ppm ANCO MICROBICIDE 77 (1.26 to 7.48 pounds or 19 to 113 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of water in the system).

SUBSEQUENT DOSE: Maintain this treatment level by adding a continuous feed of 35 to 219 ppm ANCO MICROBICIDE 77 (0.3 to 1.86 pounds or 4.5 to 28 fluid ounces of ANCO MICROBICIDE 77 per 1000 gallons of makeup water).


Badly fouled systems must be cleaned before initial treatment.

NOTE: For use only in industrial air washing systems that maintain effective mist eliminating components.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Pesticides or insects that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator), or dispose in landfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.



DOT Proper Shipping Name:

CORROSIVE LIQUID, N.O.S....

(5-Chloro-2-methyl-4-isothiazolin-3-one)

In event of emergency,

CALL TOLL FREE: 800-424-9306 (CHEMTREC)

MADE IN U.S.A.