

ACCEPTED

May 22, 1973


UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3999-3

MOLD-X

(MOLD PREVENTIVE)

Prevents all types of molds on embalmed bodies. Fully effective in all climatic conditions—at all seasons of the year. Will not stain or bleach casket finishes or linings, when handled approximately as one would handle water near fine finishes or delicate fabrics. Ideal for shipping cases, vault-storage cases and for all conditions of delayed interment. MOLD-X is principally used as an external spray. In extreme conditions, the external application may be supplemented by internal injection (simply mixed with Arterial solution).

TWELVE BOTTLES TO THE CASE



ACCEPTED

May 22, 1913

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3999-3

MOLD-X

(MOLD PREVENTIVE)

Prevents all types of molds on embalmed bodies. Fully effective in all climatic conditions—at all seasons of the year. Will not stain or bleach casket finishes or linings, when handled approximately as one would handle water near fine finishes or delicate fabrics. Ideal for shipping cases, vault-storage cases and for all conditions of delayed interment. MOLD-X is principally used as an external spray. In extreme conditions, the external application may be supplemented by internal injection (simply mixed with Arterial solution).

TWELVE BOTTLES TO THE CASE



ACCEPTED

May 22, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 3999-3

MOLD-X

(MOLD PREVENTIVE)

Prevents all types of molds on embalmed bodies. Fully effective in all climatic conditions—at all seasons of the year. Will not stain or bleach casket finishes or linings, when handled approximately as one would handle water near fine finishes or delicate fabrics. Ideal for shipping cases, vault-storage cases and for all conditions of delayed interment. MOLD-X is principally used as an external spray. In extreme conditions, the external application may be supplemented by internal injection (simply mixed with Arterial solution).

TWELVE BOTTLES TO THE CASE



MOLD-X

MOLD SUPPRESSANT

Inhibits Fungal Growth
after Embalming

DIRECTIONS

Use as an external spray in all professional mold-suppressant applications. See *Mold-X Technical Bulletin* for procedural details.

ACTIVE INGREDIENTS

4-chloro-3, 5-xyleneol 1%
Methyl p-hydroxybenzoate 0.5%
Butyl p-hydroxybenzoate 1.5%
2,2'-Methylenebis(4-chlorophenol)
(Dichlorophene) 2%
Isopropyl alcohol 50%

INERT INGREDIENTS 45%

CAUTION!

Keep out of reach of children.
Harmful if swallowed or inhaled.
Avoid skin contact. Avoid contamination of foodstuffs. Keep away from domestic animals. Rinse empty container thoroughly with water before discarding.

Net Content 1 Pint • EPA Reg. No. 3999-3

A product of

THE DODGE CHEMICAL CO.
Cambridge, Mass. 02138