

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** KEEP OUT OF REACH OF CHILDREN. Causes skin irritation and eye damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed.

**STATEMENT OF PRACTICAL TREATMENT**

**FIRST AID PROCEDURES:** EYES - Flush with water for at least 15 minutes and call a physician. SKIN - Wash with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. Call a physician. INGESTION - Drink promptly a large quantity of milk, egg white, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not expose this water-base formula to temperatures below 32° F. (0°C.). Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazards. Do not use on surfaces that can be stained or harmed by water. Avoid any contamination with soap, anionic surface agents or any alkaline materials.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep product in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Surfaces must be cleaned with a suitable detergent and rinsed thoroughly before using solutions as a disinfectant or sanitizer. In sanitizer application, surfaces should be rinsed and scraped free of most contaminating soil. In all applications, an exposure period of at least 2 minutes should be maintained, when temperature of solution is 75°-100°F. Do not use water over 100°F.

**DILUTION TABLE**

Solution	Dilution	No. of ounces per 5 gal. water	Conc. (PPM) Titratable Iodine
B	1:640	1	25.0
C	1:320	2	50.0
D	1:213	3	75.0
E	1:128	5	125.0

**Restaurants, Bars and Luncheonettes:** Dishes, glassware, cutlery and eating utensils. After these have been thoroughly scraped and rinsed, wash in Solution B or C with a suitable detergent. Sanitize by immersing in Solution B. Allow to drain without wiping. **Sanitary Facilities: Urinals and Toilet Bowls** - Wash with Solution C or sanitize with Solution B, thoroughly swabbing all surfaces, making sure to get under the rim. (Expel residual water in bowl before sanitizing). **Hand Sanitizing Compound:** Wash and rinse hands thoroughly before sanitizing. Use Solution B. No rinse required.

**General Disinfection: Walls, Floors, Refrigerators, Bed Frames, etc.** - Clean with a suitable detergent and rinse thoroughly. Disinfect with Solution C on nonporous surfaces. Disinfect previously cleaned surfaces with Solution D on nonporous surfaces.

**Food Contact Surfaces:** In federally inspected food processing plants, food contact surfaces should be sanitized with Solution B. After proper draining of surfaces, solution should be let to dry without rinsing. Solution must not come into contact with food. All utensils and equipment must be rinsed thoroughly with potable water after treatment with solutions C, D or E, and before coming in contact with food. All utensils and equipment must be thoroughly washed with an acceptable detergent and then rinsed with potable water after treatment with solutions C, D or E and before coming into contact with food.

**Dairy Farms - Milking Machines & Utensils:** After each milking flush all residual milk from equipment with cold or lukewarm water (do not use hot water). Take apart equipment and immerse all parts (except pulsator) in Solution B and thoroughly brush clean. Similarly with wash pails, strainers, etc., in the same solution. Rinse with warm water, reassemble and rack in clean, dust-free place. Prior to using equipment previously cleaned with a suitable detergent or as above, sanitize with Solution B.

**Flanks and Udders:** Wipe with Solution B using a clean paper towel for each cow. **Dairy Plants:** After processing milk, flush residual milk from equipment and all surfaces with lukewarm water. Wash with Solution B or with any suitable detergent with Solution B.

**IMPORTANT:** Always use freshly prepared solutions for each cleanup. Daily use of solutions will prevent the formation of milkstone. The appearance of a yellow color on equipment indicates formation of milkstone. It may be removed by brushing with solution; allow contact for several minutes and rinse thoroughly.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

EPA Reg. No. 4000-14

EPA Est. No. 4313-TX-1

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • 214-278-1304

CARROLL COMI

**CARROLL**

**CARROLL**


**CARROLL**

**CARROLL**

**CARROLL**

**BEST AVAILABLE COPY**

760 1294



# iodo-175

**CONCENTRATED IODINE  
DETERGENT • SANITIZER • DISINFECTANT**

**ACTIVE INGREDIENT:**  
Iodine\* ..... 1.75%  
**INERT INGREDIENTS:** ..... 98.25%  
\*(From Nonylphenoxypolyethoxyethanol-iodine complex)

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See right panel for further precautionary and first aid statements.

**1 U.S. GALLON/3.8 LITERS**

**BEST AVAILABLE COPY**

**d Luncheonettes:** Dishes, glassware, cutlery and eat-  
se have been thoroughly scraped and rinsed, wash in  
suitable detergent. Sanitize by immersing in Solution B.  
**Sanitary Facilities: Urinals and Toilet Bowls —**  
or sanitize with Solution B, thoroughly swabbing all sur-  
jet under the rim. (Expel residual water in bowl before  
**Sanitizing Compound:** Wash and rinse hands thoroughly  
Solution B. No rinse required.  
**Halls, Floors, Refrigerators, Bed Frames, etc.—** Clean with  
inse thoroughly. Disinfect with Solution C on nonporous sur-  
cleaned surfaces with Solution D on nonporous surfaces.  
**Food:** In federally inspected food processing plants, food  
d be sanitized with Solution B. After proper draining of  
d be let to dry without rinsing. Solution must not come  
All utensils and equipment must be rinsed thoroughly  
treatment with solutions C, D or E, and before coming  
All utensils and equipment must be thoroughly washed  
ergent and then rinsed with potable water after treat-  
D or E and before coming into contact with food.  
**Milking Machines & Utensils:** After each milking flush all  
ipment with cold or lukewarm water (do not use hot  
ment and immerse all parts (except pulsator) in Solu-  
rush clean. Similarly with wash pails, strainers, etc., in  
se with warm water, reassemble and rack in clean,  
o using equipment previously cleaned with a suitable  
sanitize with Solution B.  
pe with Solution B using a clean paper towel for each cow.  
ccessing milk, flush residual milk from equipment and  
rm water. Wash with Solution B or with any suitable  
B.  
se freshly prepared solutions for each cleanup. Daily  
vent the formation of milkstone. The appearance of a  
nt indicates formation of milkstone. It may be removed  
allow contact for several minutes and rinse thoroughly.  
used as a terminal sterilant/high level disinfectant on  
nt that (1) is introduced directly into the human body,  
with the bloodstream or normally sterile areas of the  
act mucous membranes but which does not ordinarily  
rier or otherwise enter normally sterile areas of the  
be used to pre-clean or decontaminate critical or semi-  
rior to sterilization or high level disinfection.

EPA Est. No. 4313-TX-1

041 • 214-278-1304

CARROLL COMPANY • 2900 W. Kingsley Rd. • Garland, Texas 75041 • 214-278-1304

**LL CARROLL CARROLL CARROLL CARROLL CARROLL**