

247067
17

AUG 24 1991

Mr. Phil Hutton
Product Manager (17)
Insecticide/Rodenticide Branch
Registration Division (H7505C)
Washington, DC 20548

Subject: Duster Fly & Trench Spray
EPA Registration No. 4006-16
Label revision on January 24, 1990.

Dear Mr. Phil Hutton:

As a result of a letter to you, submitted in connection with
the registration of Duster Fly & Trench Spray, Fungicide and
Insecticide Act, as amended, is acceptable if you make the
following change on your next set of printed labels:

Include the following statement under the ENVIRONMENTAL HAZARDS
portion of the label: Do not contaminate water when disposing of
equipment washwaters.

A stamped copy of the label is enclosed for your records.

Sincerely,



Phil Hutton
Product Manager (17)
Insecticide/Rodenticide Branch
Registration Division (H7505C)

BEST AVAILABLE COPY

Enclosure		CONCURRENCES					
SYMBOL							
SURNAME	Sagley						
DATE	8-12-85						

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.

If Inhaled: Remove to fresh air.

If On Skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note To Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture. Do not use, pour, spill or store near heat or open flame. Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Avoid excess wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

PREMIUM FLY & ROACH SPRAY

Grade AA Fly Spray

ACTIVE INGREDIENTS:

Petroleum hydrocarbons
n-Octyl bicycloheptene dicarboximide
technical piperonyl butoxide
Pyrethrins

INERT INGREDIENTS:

TOTAL

*Equivalent to 0.152% (butylcarbityl) (6-propylpiperonyl) ether and 0.038% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed.
See left panel for further precautions.

AUG 24

1 U.S. GALLON/3.8 LITERS

4000-

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide waste are toxic. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal Law. If these waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Kills on contact the exposed stages of: Roaches, waterbugs, silverfish, flies, mosquitoes, flying moths, bees, hornets, wasps, gnats, fruit flies, sand flies, weevils, caterpillars, grain moths, flour beetles, grain mites, stable flies, spiders. When used as directed, assures thorough destruction and control of insects infesting food processing, storage, handling or serving installations such as flour mills, dairies, meat packing plants, grocery stores, restaurants, barns, grain elevators, warehouses. Can be used in all spray guns or atomizer dispensers adjusted to deliver a fine mist.

For Feed Preparation Areas: Food should be removed or covered during treatment. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse.

DIRECTIONS (CONTINUED)

Roaches, waterbugs, silverfish: The infested area should be sprayed thoroughly and repeatedly contacting as many insects as possible. Pay particular attention to hiding places, cracks, dark places, under sinks behind pipelines, etc.

Flies, mosquitoes, flying moths, bees, hornets, wasps, gnats, fruit flies, sand flies: Close all windows and doors. Fill entire room with insecticide fog by directing spray toward ceiling. Leave room closed at least 10 minutes. Repeat as needed.

Weevils, caterpillars, grain moths, flour beetles, grain mites: (Accessible stages) Apply in a wet, coarse spray to all infested surface areas, insect hiding places and runways in flour mills, feed mills, warehouses. Exposed bags should be sprayed lightly. Repeat as necessary.

Control of horn flies and stable flies: For space spraying for control of flies when animals are on the premises, apply in a fine mist in order to temporarily protect cows and horses from fly annoyance. Spray animals from a distance of 6 to 8 feet using 1 to 2 ounces per animal daily or as necessary. Spray cows prior to milking taking care not to spray insecticide onto the udders. Wash udders with a sanitizing solution after spraying cow with insecticide prior to milking.

Fleas Infesting Premises: For quick and effective control, spray floors and cracks in the infested areas. Since fleas hide in upholstered furniture and carpets, these areas as well as wall cracks, baseboards and sleeping quarters of animals should be sprayed generously for direct contact with the pest.

Control of red mites and blue bugs in poultry houses: Remove all dirt and debris from infested area. Apply one quart of insecticide per 1,000 square feet of floor space. All surfaces and cracks should be wet thoroughly by spraying from a distance of 3 to 5 feet.

Spiders: Using a coarse wet spray, apply on or into spider webs covering area thoroughly. All visible spiders should be wet with insecticide.

EPA Reg. No. 4000-19

EPA Est. 4000-GA-1

BEST AVAILABLE COPY