



PINE ODOR DISINFECTANT

-PHENOL FORTIFIED-
COEFFICIENT 5

CLEANS DEODORIZES DISINFECTS
ACTIVE INGREDIENTS:

Isopropanol	13.8%
Pine Oil	8.5%
4- and 6- chloro-2-phenylphenol,	
Potassium Salt	3.4%
Soap	2.5%

INERT INGREDIENTS:

Water (Max.)	71.8%
Total	100.0%

WARNING:

KEEP OUT OF REACH OF CHILDREN.
See First Aid statement and other precautions
on the side panel.

Distributed By

ACCEPTED



NOV 09 1973

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED,
UNDER NO. 4000-23

DIRECTIONS

GENERAL DISINFECTING AND CLEANING: For maximum efficiency, apply the disinfectant solutions to previously cleaned surfaces. For general disinfecting and cleaning purposes in hotels, motels, schools, offices, stores and factories use 1 part of disinfectant to 100 parts of water. Never use boiling water. This dilution can be used for disinfecting sick rooms and sick room utensils, for washing telephone and dictating machine mouth pieces, for cleaning and deodorizing outdoor closets and garbage receptacles. Treated food contact surfaces must be thoroughly scrubbed with detergents and rinsed with potable water prior to re-use.

FLOORS: For scrubbing or mopping, use 1/2 cupful of disinfectant to each 2-1/2 gallon pail of water.

URINALS AND TOILETS: Use 2-1/2 ounces of disinfectant to each gallon of water. Apply freely to all exterior bowl surfaces and toilet seats. The same dilution may be used to disinfect, clean and deodorize interior bowl surfaces after expulsion of residual bowl water with a plunger. If expulsion of residual water is not desirable, add 2 ounces of disinfectant directly to the bowl.

Phenol Coefficient of 5 by the A.O.A.C.
Method against S. Typhosa

WARNING

KEEP OUT OF REACH OF CHILDREN. Causes skin or eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Do not re-use empty drum. Rinse empty container thoroughly with water before discarding in a safe place.

AVOID FREEZING. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID: In case of contact, immediately flush eyes or skin with water for 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

EPA REG. NO. 4000-23

Mfg. By
SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia