

PHENOL COEFFICIENTS
(A. O. A. C. Method, 20 deg. C.):

Staphylococcus aureus — 10.0
Salmonella typhosa — 6.0

Non-inflammable, non-volatile, odorless.

CAUTION: AVOID CONTAMINATION OF FOOD.

HARMFUL IF SWALLOWED, AVOID CONTACT WITH SKIN AND EYES. IN CASE OF CONTACT FLUSH WITH WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

LEMON DISINFECTANT

COEF. 6

CONTENTS ONE GALLON

ACTIVE INGREDIENTS: Methylododecylbenzyl Trimethyl Ammonium Chloride..... 2.0%
Methylododecylxylylene bis (Trimethyl Ammonium Chloride)..... 0.5%
INERT INGREDIENTS* 97.5%

*includes synthetic detergents and perfume oils

Manufactured By
SOUTHERN CHEMICAL PRODUCTS CO.
MACON, GEORGIA

CAUTION:
Keep out of reach of children. See also left panel.

USDA REG. NO. 4000-30

DIRECTIONS: Do not mix with soap or synthetic detergents. Articles to be disinfected should first be washed and rinsed.

1. General disinfection in public rooms and at home. Apply solution containing two ounce of germicide per gallon of water freely to surfaces.
2. Disinfection of barber shop and beauty parlor equipment: Clean thoroughly, then soak combs, brushes, razors, etc., for 10 minutes in a solution of 4 ounce of germicide per 1 gallon of water.
3. Disinfection and Sanitization of Fabrics. Agitate in solution containing 4 ounces of Germicide per gallon of water to disinfect clothing and linens. Fabric may be rendered bacteriostatic by immersing in a solution containing one ounce of Germicide per 1 gallon of water.
4. Disinfection rubber goods: Clean thoroughly, then soak in solution diluted 1 ounce of Germicide per 1 gallon of water for 10 minutes.

ACCEPTED

OCT 15 1965

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 4626 56