



## **DEEP CHLOR SANITIZER**

### **ACTIVE INGREDIENT:**

Potassium Dichloro-s-  
Triazinetrione 11.5%

**INERT INGREDIENTS:** 88.5%

### **WARNING**

**KEEP OUT OF REACH OF CHILDREN.**  
Oxidizing material. Contact with organic  
or other foreign material may cause fires.  
Harmful to skin and eyes. For other  
precautions and directions see also side  
panel.

Distributed by

## **DEEP CHLOR SANITIZER**

Net Wt. 100 Lbs.

### **DIRECTIONS**

For Dairy Plants

1. Rinse residual milk from pipes, tubes, tanks, tables and utensils that have been in contact with milk products using warm water at 105°F.
2. Wash with appropriate detergent solution and clear potable water.
3. Air dry and then cover to protect from dust.
4. Sanitize just before use with a solution of 1 ounce per gallon of water (90 ppm available chlorine) through pipes or tubes and drain well. A potable water test is not required at concentrations of less than 50 ppm available chlorine. Test periodically. Discard solution containing less than 50 ppm available chlorine.
5. For spray sanitizing of tanks and containers use 2 gallons of water (270 ppm available chlorine), delivering a heavy mist and wet the surface. Rinse with potable water before using.

### **WARNING**

Contains Potassium Dichloro-s-Triazinetrione. Irritates the eyes. Do not get in eyes, on skin or clothing. Avoid breathing dust. In case of contact with skin or clothing, wash immediately with water for 15 minutes. For eye contact, flush with water and get medical attention. Harmful if swallowed. If swallowed, get medical attention. Get medical attention.

Rinse empty container thoroughly with water after use.  
EPA Reg. No. 4000-33

Mfg. By  
**SOUTHERN CHEMICAL PRODUCTS COMPANY**  
Macon, Georgia



## DEEP CHLOR SANITIZER

### ACTIVE INGREDIENT:

Potassium Dichloro-s-  
Triazinetrione 11.5%

INERT INGREDIENTS: 88.5%

### WARNING

KEEP OUT OF REACH OF CHILDREN.  
Oxidizing material. Contact with organic  
or other foreign material may cause fires.  
Harmful to skin and eyes. For other  
precautions and directions see also side  
panel.

Distributed by

## DEEP CHLOR SANITIZER

Net Wt. 100 Lbs.

### DIRECTIONS

For Dairy Plants

1. Rinse residual milk from pipes, tubes, tanks, containers, tables and utensils that have been in contact with milk or milk products using warm water at 105 - 115° F.
2. Wash with appropriate detergent solution and rinse with clear potable water.
3. Air dry and then cover to protect from dust.
4. Sanitize just before use with a solution of 1 ounce in 6 gallons of water (90 ppm available chlorine) by flushing through pipes or tubes and drain well. A potable water rinse is not required at concentrations of less than 100 ppm of available chlorine. Test periodically. Discard solution at 50 ppm available chlorine.
5. For spray sanitizing of tanks and containers use 1 ounce in 2 gallons of water (270 ppm available chlorine). Use a spray delivering a heavy mist and wet the surface completely. Rinse with potable water before using.

### WARNING

Contains Potassium Dichloro-s-Triazinetrione. Damaging to the eyes. Do not get in eyes, on skin or clothing. Avoid breathing dust. In case of contact with skin or eyes, flush immediately with water for 15 minutes. For eyes, get medical attention. Harmful if swallowed. If swallowed, induce vomiting. Get medical attention.

Rinse empty container thoroughly with water and discard it.

EPA Reg. No. 4000-33

Mfg. By

SOUTHERN CHEMICAL PRODUCTS COMPANY

Macon, Georgia