


4000-33
ACCEPTED
JUL 7 1979
UNDER THE FEDERAL INSECTICIDE
ACT OF 1947



**DEEP CHLOR
SANITIZER**

ACTIVE INGREDIENT:
Potassium Dichloro-s-
Triazinetrione 11.5%

INERT INGREDIENTS: 88.5%

WARNING
KEEP OUT OF REACH OF CHILDREN.
Oxidizing material. Contact with organic
or other foreign material may cause fires.
Harmful to skin and eyes. For other
precautions and directions see also side
panel.

Distributed by

DEEP CHLOR SANITIZER

Net Wt. 100 Lbs.

DIRECTIONS

For Dairy Plants

1. Rinse residual milk from pipes, tubes, tanks, containers, tables and utensils that have been in contact with milk or milk products using warm water at 105 - 115° F.
2. Wash with appropriate detergent solution and rinse with clear potable water.
3. Air dry and then cover to protect from dust.
4. Sanitize just before use with a solution of 1 ounce in 6 gallons of water (90 ppm available chlorine) by flushing through pipes or tubes and drain well. A potable water rinse is not required at concentrations of less than 100 ppm of available chlorine. Test periodically. Discard solution at 50 ppm available chlorine.
5. For spray sanitizing of tanks and containers use 1 ounce in 2 gallons of water (270 ppm available chlorine). Use a spray delivering a heavy mist and wet the surface completely. Rinse with potable water before using.

WARNING

Contains Potassium Dichloro-s-Triazinetrione. Damaging to the eyes. Do not get in eyes, on skin or clothing. Avoid breathing dust. In case of contact with skin or eyes, flush immediately with water for 15 minutes. For eyes, get medical attention. Harmful if swallowed. If swallowed, induce vomiting. Get medical attention.
Rinse empty container thoroughly with water and discard it.
EPA Reg. No. 4000-33

Mfg. By
SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia

32