

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 4000-34

# LEMON GERMICIDE & DEODORIZER

PHENOL COEFFICIENT 12  
(AOAC Method against *Staphylococcus aureus*)

PHENOL COEFFICIENT 8  
(AOAC Method against *Salmonella typhosa*)

**Active Ingredients:**

- Essential Oils.....1.6%
- N-alkyl (C<sub>12</sub>-40%, C<sub>14</sub>-50%, C<sub>16</sub>-10%  
dimethyl benzyl ammonium chlorides.....1.6%
- Isopropanol.....1.6%
- Ethanol.....0.4%
- Tetrasodium Salt of ethylene diamine  
tetraacetic acid.....0.3%

**Inert Ingredients:**

- Water, alkyl phenoxy polyethoxy ethanol.....94.5%

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**  
USDA REG. NO. 4000-35  
(SEE BACK PANEL)

Mfg. By  
**SOUTHERN CHEMICAL PRODUCTS CO.**  
Macon, Georgia

NO. 269 (E21)

DISTRIBUTED BY

## DIRECTIONS FOR USE

For positive disinfection and deodorizing in Clinics, Schools, Restaurants, Hospitals, Public Buildings and Industrial Plants.

For general disinfection of floors, walls, toilet seats, bathroom fixtures, etc., use 3 1/2 to 4 ounces of Germicide per gallon of water.

For use in hospitals and clinics apply solution of 7 to 8 ounces of Germicide per gallon of water to previously cleaned surfaces. Mop or wipe over areas to be disinfected and allow to stand ten minutes. Increased deodorizing effect is obtained by leaving solutions in place for extended periods before mopping up.

If this product is used on surfaces which may come in contact with food products, rinse surface with potable water after disinfection before surface is reused.

### PHENOL COEFFICIENTS

12 against *Staphylococcus aureus*  
8 against *Salmonella typhosa*  
(AOAC Method, 20 deg. C)

Use dilution confirmation procedure against *Salmonella cholerae* is 1-35.

### CAUTION AVOID CONTAMINATION OF FOOD

HARMFUL IF SWALLOWED, AVOID CONTACT WITH SKIN AND EYES. IN CASE OF CONTACT, FLUSH WITH WATER IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

NO. E21

Feb - 2 - 1968

7100-35