


HOSPITAL DISINFECTANT



**Tuberculocidal,
Staphylocidal, Bactericidal
Disinfectant & Deodorant**

WARNING

**KEEP OUT OF REACH
OF CHILDREN**

Causes eye irritation. Harmful if
swallowed. Flammable mixture. Con-
tents under pressure. See back panel
for further Precautions.

DISTRIBUTED BY

THE CLEANITE COMPANY

MACON, GEORGIA

This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: Refuse cans, toilet seats, door knobs, metal beds, wheel chairs, and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross infection by bacteria via environmental surfaces. It is a non-selective odor suppressant which suppresses odors by chemically neutralizing odor producing materials. Effective on hospital, nursing homes and other odors from many sources from surgical dressings, post-colostomy, post-ileostomy dressings and bags, malignant diseases, bathrooms, kitchens, food processing plants, garbage cans and smoke damage.

Effective against the following organisms when used as a disinfectant on environmental surfaces: Staphylococcus aureus, pseudomonas aeruginosa, salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.

DIRECTIONS

Do not use on polished wood furniture or rayon fabrics.

FOR DISINFECTING: Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright-point opening away from face. Spray into air towards center of room for about 4 seconds.

FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.

FOR FOOD PREPARATION AREAS: Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

ACTIVE INGREDIENTS:

| | |
|---|----------------|
| Isopropanol | 67.50% |
| Essential Oils | 0.45% |
| Ortho-Phenylphenol | 0.15% |
| N-alkyl (C ₁₄ -1%, C ₁₆ -25%, C ₁₈ -8%, C ₁₀ -66%) | |
| N-ethyl morpholinium ethylsulfate | 0.03% |
| INERT INGREDIENTS: | 31.87% |
| | 100.00% |

CONTAINS SODIUM NITRITE*

WARNING

WARNING: Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use with adequate ventilation. Harmful if swallowed. Avoid contact with food. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. Do not use near fire, sparks, or flame.

NET WEIGHT 14.0 OZ. AV

EPA Est. NO. 4000-GA-1

EPA, REG. NO. 4000-42


Mfg. By

SOUTHERN CHEMICAL PRODUCTS COMPANY

Macon, Georgia

03 00

HOSPITAL DISINFECTANT



Tuberculocidal,
Staphylocidal, Bactericidal
Disinfectant & Deodorant

WARNING

KEEP OUT OF REACH
OF CHILDREN

Causes eye irritation. Harmful if
swallowed. Flammable mixture. Con-
tents under pressure. See back panel
for further Precautions.

DISTRIBUTED BY

THE CLEANITE COMPANY

MACON, GEORGIA

This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: Refuse cans, toilet seats, door knobs, metal beds, wheel chairs, and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross infection by bacteria via environmental surfaces.

It is a non-selective odor suppressant which suppresses odors by chemically neutralizing odor producing materials. Effective on hospital, nursing homes and other odors from many sources from surgical dressings, post-colostomy, post-ileostomy dressings and bags, malignant diseases, bathrooms, kitchens, food processing plants, garbage cans and smoke damage.

Effective against the following organisms when used as a disinfectant on environmental surfaces: Staphylococcus aureus, pseudomonas aeruginosa, salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.

DIRECTIONS

Do not use on polished wood furniture or rayon fabrics.

FOR DISINFECTING: Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright-point opening away from face. Spray into air towards center of room for about 4 seconds.

FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.

FOR FOOD PREPARATION AREAS: Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

ACTIVE INGREDIENTS:

| | |
|---|---------------|
| Isopropanol | 67.50% |
| Essential Oils | 0.45% |
| Ortho-Phenylphenol | 0.15% |
| N-alkyl (C ₁₄ -1%, C ₁₆ -25%, C ₁₈ -8%, C ₁₀ -66%) | |
| N-ethyl morpholinium ethylsulfate | 0.03% |
| INERT INGREDIENTS: | 31.87% |

100.00%

CONTAINS SODIUM NITRITE*

WARNING

WARNING: Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use with adequate ventilation. Harmful if swallowed. Avoid contact with food. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. Do not use near fire, sparks, or flame.

NET WEIGHT 14.0 OZ. AV

EPA Est. NO. 4000-GA-1

EPA, REG. NO. 4000-42

Mfg. By

SOUTHERN CHEMICAL PRODUCTS COMPANY

Macon, Georgia

03 00