


**ACCEPTED**  
**16 NOV 1986**  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 UNDER NO. \_\_\_\_\_ SUBJECT  
 TO ATTACHED COMMENTS.



# HOSPITAL DISINFECTANT

- Tuberculocidal
- 
- Staphylocidal
- 
- Bactericidal
- 
- Fungicidal
- 
- Virucidal
- Herpes simplex Type 2
- Influenza A2 (Asian Flu)

**DISINFECTANT & DEODORANT**

<b>ACTIVE INGREDIENTS:</b>	
Isopropanol .....	87.50%
Ortho-Phenylphenol .....	0.15%
<b>INERT INGREDIENTS:</b> .....	12.35%
	Total 100.00%

**WARNING**  
**FLAMMABLE**  
 KEEP OUT OF REACH OF CHILDREN.  
 Harmful if swallowed.  
 See side panel for additional precautions and first aid.

**NET WEIGHT: 14.0 OZ. AV. (396 grams)**  
 Manufactured by:  
**SOUTHERN CHEMICAL PRODUCTS COMPANY**  
 430 Lewis Boundary Street  
 Macon, Georgia

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**  
 Flammable  
 Contains Sodium Nitrite.  
 Keep out of reach of children.  
 Harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes and skin. Avoid contamination of food and feedstuff. Remove pets, birds and cover fish aquariums before spraying.

**STATEMENT OF PRACTICAL TREATMENT**

**FIRST AID PROCEDURES:**  
**EYES:** Flush with water 15 minutes. Seek medical attention.  
**SKIN:** Wash with soap and water. Seek medical treatment if irritation persists.  
**INGESTION:** Do not induce vomiting. Seek medical aid immediately.

**ENVIRONMENTAL HAZARD**

This product is toxic to fish, birds and wildlife. Keep out of lakes, streams and ponds.

**PHYSICAL OR CHEMICAL HAZARD**

**FLAMMABLE:** Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Do not use on polished wood furniture or rayon fabrics.

**DIRECTIONS**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: refuse cans, toilet seats, door knobs, metal beds, wheel chairs, and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross contamination by bacteria via environmental surfaces. It is a non-selective, odor suppressant which chemically neutralizes odor producing materials. Effective on hospital, nursing home and other odors from many sources such as surgical dressings, post-colostomy and post-ileostomy dressings and bags, malignant discharges, bathrooms, kitchens, food processing plants, garbage cans and smoke damage.  
 Effective against the following organisms when used as a disinfectant on environmental surfaces: Staphylococcus aureus, Pseudomonas aeruginosa, Herpes simplex Type 2, Influenza A2 (Asian Flu), Salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.  
**FOR DISINFECTING:** Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet. Allow to remain for 10 minutes before wiping.  
**FOR DEODORIZING:** Hold dispenser upright—point opening away from face. Spray into air towards center of room for about 4 seconds.  
**FOR MILDEW CONTROL:** Clean surface. Spray surface until wet, allow to air dry without wiping. Repeat application every week to maintain control.  
**FOR FOOD PREPARATION AREAS:** Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

**STORAGE & DISPOSAL**

**STORAGE:** Do not store in direct sunlight. Do not store above 120° F.  
**CONTAINER DISPOSAL:** Do not reuse empty container. Replace cap, wrap in paper and discard container in trash. Do not incinerate or puncture.

131