

NET CONTENTS 1 U.S. GALLONS

KLEEN POOL ALGAECIDE

ACTIVE INGREDIENT:
 n-Alkyl (C₁₄-50%, C₁₂-40%, C₁₆-10%)
 Dimethyl Benzyl Ammonium Chloride... 10.00%

INERT INGREDIENTS 90.00%

TOTAL 100.00%

DANGER
 KEEP OUT OF REACH OF CHILDREN

ACCEPTED
See side panel for other instructions

DISTRIBUTED BY

July 18, 1973

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. **4000-52**

DIRECTIONS

CLEAN POOL: Before filling, the sides and bottom should be scrubbed thoroughly taking pains to remove stains and discoloration. All sides and bottom surfaces should be rinsed with clear water and all dirt floated away before closing drain valve.

KLEEN POOL should be added on completion of the filling operation at the rate of one gallon per fifty thousand gallons of water. Add in several portions at different places and it will distribute itself evenly throughout the pool. The recommended use of Kleen-Pool will control algae growth thus preventing objectional odors and algal slime formation. If growing algae is visible it may be controlled by adding one gallon of Kleen-Pool per 20,000 gallons of water. The killed algae is allowed to settle out and removed by vacuuming. This is followed by an added dose of one gallon of Kleen-Pool per 50,000 gallons of water every five to seven days to maintain between two and five parts per million active ingredient.

KLEEN-POOL is compatible with various other chemicals used for swimming pool water safety. The various chemicals should; however, be added separately to the pool as reaction might occur if they are mixed before diluting.

KLEEN-POOL is noncorrosive to fittings and will not affect paint and varnish used in the pool.

DANGER

Keep out of reach of children

MAY CAUSE EYE DAMAGE: Corrosive. Do not get in eyes. Causes skin irritation. Harmful or fatal if swallowed. Wear rubber gloves and goggles or face shield when handling.

FIRST AID: In case of contact, immediately flush eyes or skin with water. For eyes flush freely for at least 15 minutes and see a physician. Remove and wash contaminated clothing before reuse.

If swallowed drink promptly a large quantity of milk, egg whites or gelatin solution, or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock respiratory depression and convulsion may be needed.

FISH AND WILDLIFE: This product is toxic to fish. Treated effluent, should not be discharged where it will drain into lakes, streams, ponds, or public water.

Rinse empty container thoroughly with water and discard it.

EPA REG. NO. 4000-52

Mfg. By.
SOUTHERN CHEMICAL PRODUCTS COMPANY
 Macon, Georgia