

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE IN: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, Grocery Stores, Dairies, Flour Mills, Barns, Grain Elevators, Warehouses

KILLS: Houseflies, Roaches, Mosquitoes, Ants, Spiders, Gnats, Wasps, Earwigs, Grain Mites, Sowbugs and Centipedes. For most effective results use in a good sprayer adjusted to deliver a fine mist.

MOSQUITOES, FLIES, GNATS: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Remove pets, birds and cover fish aquariums before spraying. Do not store near heat or open flame. Avoid contamination of feed and foodstuff. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.

PYRETHROID FLY & ROACH SPRAY

ACTIVE INGREDIENTS:

* + (5-benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
Related compounds
Aromatic petroleum hydrocarbons

0.250% w/w
0.034%
0.331%

INERT INGREDIENTS:

* Cis/trans isomers ratio max 30% (-) cis and min 70% (+) trans.
* U.S. Patent No. 3,465,007

99.385
TOTAL 100.000%

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not store or use near heat or open flame.
See right panel for additional precautions and directions.

1 U.S. GALLON/3.8 LITERS

PH 1 40-33 1 2 13 14

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID PROCEDURES:

EYES: Flush with water for 15 minutes and call a physician. **SKIN:** Wash thoroughly with soap and water. Seek medical attention if irritation persists. **INGESTION:** Do not induce vomiting. Seek medical aid immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture. Do not use, pour, spill or store near heat or open flame. Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Avoid excess wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport near feed or food. Store at temperatures above 32°F.

PESTICIDE DISPOSAL. Do not contaminate water, food or feed by storage or disposal. Pesticide waste are toxic. Improper disposal of excess pesticide, spray mixture or rinseate is a violation of Federal Law. If waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. EPA Reg. No. 4000-33 EPA Est. 4000-GA-1

PYRETHROID FLY & ROACH SPRAY

ACTIVE INGREDIENTS:

* (5-benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
Related compounds
Aromatic petroleum hydrocarbons

0.260%
0.034%
0.331%

INERT INGREDIENTS:

99.385

TOTAL 100.000%

* Cis/trans isomers ratio max 30% (±) cis and min 70% (±) trans.
+ U.S. Patent No. 3,465,007

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not store or use near heat or open flame.
See left panel for additional precautions and directions.

1 U.S. GALLON/3.8 LITERS