



FOR MANUFACTURING USE ONLY

To prepare coefficient 5 disinfectant add one volume of water to an equal volume of disinfectant with gentle agitation. Avoid prolonged standing in open container as loss of volatile constituents may result.

Directions for use of the resulting disinfectant should not recommend dilution of greater than 1 part to 20 multiplied by the phenol coefficient for effective disinfectant ie (1 part Coef. 5 to 20 x 5 or 100 parts water).

WARNING

KEEP OUT OF REACH OF CHILDREN. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and bury in a safe place.

WARNING - FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME. AVOID FREEZING.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

EPA REG. NO. 4000-56

Mfg. By
SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia