

RECEIVED  
 9 OCT 1974  
 INDUSTRIAL HYGIENE  
 FORT MONROE, VA

# PYRETHROID 351



## Aqueous Pressurized INSECTICIDE SPRAY


Contains d-trans Allethrin  
 for fast knockdown.  
 SHAKE WELL BEFORE USING

for  
 Bakeries, Food Plants, Restaurants,  
 Schools, Hotels, Motels, Hospitals, Of-  
 fice Buildings, and food Handling Plants.

### KILLS

Houseflies, mosquitoes, gnats, wasps,  
 roaches, earwigs, two spotted mites, sow-  
 bugs, spiders, centipedes, ants and biting  
 flies.

Distributed by



## CAUTION

**KEEP OUT OF REACH OF CHILDREN**  
 Harmful if swallowed. Avoid contamina-  
 tion of feed and food-stuffs. See side  
 panel for additional precautions. Do not  
 use on edible crops.

## DIRECTIONS

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

**FOR HOUSEFLIES, MOSQUITOES, AND GNATS:** Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**FOR CRAWLING INSECTS:** Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.

**WASPS:** Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

**ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**SPIDERS:** Direct short burst of spray on spiders and repeat as necessary.

**EARWIGS:** Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

### CAUTION

\*Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

### WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120° F. may cause bursting. Never throw container into fire or incinerator.

### ACTIVE INGREDIENTS:

|  |                |
|--|----------------|
| *+(5-Benzyl -3-furyl) methyl 2,2-dimethyl 3-(2-methylpropenyl) cyclopropanecarboxylate | 0.200%         |
| Related compounds  | 0.028%         |
| d-trans Allethrin (allyl homolog of Cinerin I)   | 0.150%         |
| Related compounds  | 0.012%         |
| Aromatic petroleum hydrocarbons  | 0.272%         |
| <b>INERT INGREDIENTS:</b>  | <b>99.338%</b> |

100.000%

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

\*U.S. Patent No. 3,465,007

Mfg. By  
**SOUTHERN CHEMICAL PRODUCTS CO.**

Macon, Georgia  
 EPA Reg. No. 4000-58  
 Net Contents 18.0 Fluid Oz.  
 Net Weight 15.1 Oz. AV

1800