### PRECAUTIONARY STATEMENT

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: KEEP OUT OF **REACH OF CHILDREN.** May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eves or clothing should be avoided.

### STATEMENT OF PRACTICAL TREATMENT

FIRST AID PROCEDURES: Eves: Flush with water for 15 minutes. Seek medical attention. Skin: Wash area with soap and water. Seek medical treatment if initation persists, ingestion: induce vomiting, Seek medical aid immediately.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F. may cause bursting. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation. Remove pets, birds, and cover fish aquariums before spraving.

> EPA Reg. No. 4000-58 EPA Est. 4313-TX-1

> > 892-0497

# **FLYING INSECT** KILLER

KILLS HOUSEFLIES . MOSQUITOES . GNATS . WASPS ANTS + ROACHES + EARWIGS + TWO SPOTTED MITES SOWBUGS · SPIDERS · CENTIPEDES · BITING FLIES FOR BAKERIES + FOOD PLANTS + RESTAURANTS

SCHOOLS . HOTELS . MOTELS . HOSPITALS OFFICE BUILDINGS · FOOD HANDLING PLANTS

Contains d-trans Allethrin for fast knockdown

### ACTIVE INGREDIENTS:

(Resmethrin)\*+(5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropenecarboxylate 0.200% d-trans Allethrin 0.150% \*Cis/trans isomers ratio; max, 30% (±) cis and min, 70% (±)


trans. + U. S. Patent No. 3,465,007 \*\* Contains petroleum distillates

## CAUTION

KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED See left panel for further precautions.

NET CONTENTS: 15 oz (425 gm)

Carroll Company 2900 W, Kingsley Rd. Garland, TX 75041



Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upwards, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sow bugs, solders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances,

### STORAGE AND DISPOSAL

STORAGE: Do not store in direct sunlight. Store at temperatures below 120° F. CONTAINER DISPOSAL: Do not reuse empty container. Replace cap, wrap in paper and discard containers in trash. Do. not incinerate or puncture.

Under the Fodoral Invotidian. Fungleide, and Rodenamia, aci ue enconded, for the peake.co FPA Reg. No. 4000-58





2

σ (

#

4 0

ð

ł

S

2