

LEMON HOSPITAL DISINFECTANT



ACCEPTED
17 JAN 1975
4000-60
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

Tuberculocidal,
Staphylocidal, Bactericidal
Disinfectant & Deodorant
WARNING

KEEP OUT OF REACH OF CHILDREN

Causes eye irritation. Harmful if
swallowed. Flammable mixture.
Contents under pressure. See
back panel for further Precau-
tions.

DISTRIBUTED BY

THE CLEANITE COMPANY

MACON, GEORGIA

This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: Refuse cans, toilet seats, door knobs, metal beds, wheel chairs, and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross infection by bacteria via environmental surfaces. It is a non-selective odor suppressant which suppresses odors by chemically neutralizing odor producing materials. Effective on hospital, nursing homes and other odors from many sources from surgical dressings, post-colostomy, post-ileostomy dressings and bags, malignant diseases, bathrooms, kitchens, food processing plants, garbage cans and smoke damage. Effective against the following organisms when used as a disinfectant on environmental surfaces: Staphylococcus aureus, pseudomonas aeruginosa, salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.

DIRECTIONS

Do not use on polished wood furniture or rayon fabrics.
FOR DISINFECTING: Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet.
FOR DEODORIZING: Hold dispenser upright-point opening away from face. Spray into air towards center of room for about 4 seconds.
FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.
FOR FOOD PREPARATION AREAS: Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

ACTIVE INGREDIENTS:

Isopropanol	67.50%
Essential Oils	0.45%
Ortho-Phenylphenol	0.15%
N-alkyl (C ₁₄ -1%, C ₁₆ -25%, C ₁₈ -8%, C ₁₀ -66%)	
N-ethyl morpholinium ethylsulfate	0.03%
INERT INGREDIENTS:	<u>31.87%</u>
	100.00%

CONTAINS SODIUM NITRITE

WARNING

WARNING: Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use with adequate ventilation. Harmful if swallowed. Avoid contact with food. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. Do not use near fire sparks, or flame.


CONTENTS 18.9 FLUID OZ
NET WEIGHT 14.0 OZ. AV
EPA EST 4000-GA-1

EPA Reg. No. 4000-60

Mfg. by
SOUTHERN CHEMICAL PRODUCTS COMPANY

2100

LEMON HOSPITAL DISINFECTANT



ACCEPTED
17 JAN 1975
4000-60
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

Tuberculocidal,
Staphylocidal, Bactericidal
Disinfectant & Deodorant
WARNING

KEEP OUT OF REACH OF CHILDREN

Causes eye irritation. Harmful if
swallowed. Flammable mixture.
Contents under pressure. See
back panel for further Precau-
tions.

DISTRIBUTED BY

THE CLEANITE COMPANY

MACON, GEORGIA

This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: Refuse cans, toilet seats, door knobs, metal beds, wheel chairs, and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross infection by bacteria via environmental surfaces. It is a non-selective odor suppressant which suppresses odors by chemically neutralizing odor producing materials. Effective on hospital, nursing homes and other odors from many sources from surgical dressings, post-colostomy, post-ileostomy dressings and bags, malignant diseases, bathrooms, kitchens, food processing plants, garbage cans and smoke damage. Effective against the following organisms when used as a disinfectant on environmental surfaces: Staphylococcus aureus, pseudomonas aeruginosa, salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.

DIRECTIONS

Do not use on polished wood furniture or rayon fabrics
FOR DISINFECTING: Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright point opening away from face. Spray into air towards center of room for about 4 seconds.

FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.

FOR FOOD PREPARATION AREAS: Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

ACTIVE INGREDIENTS

Isopropanol	67.50%
Essential Oils	0.45%
Ortho-Phenylphenol	0.15%
N-alkyl (C ₁₄ -1%, C ₁₆ -25%, C ₁₈ -8%, C ₁₀ -66%)	
N-ethyl morpholinium ethylsulfate	0.03%
INERT INGREDIENTS	31.87%
	100.00%

CONTAINS SODIUM NITRITE

WARNING

WARNING. Do not get in eyes. In case of contact with eyes, flush at once with water for 15 minutes. Call a physician. Avoid skin contact. Avoid breathing of spray mist. Use with adequate ventilation. Harmful if swallowed. Avoid contact with food. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. Do not use near fire sparks, or flame.

CONTENTS 18.9 FLUID OZ

NET WEIGHT 14.0 OZ AV

EPA EST 4000-GA-1

EPA Reg. No. 4000-60

Mfg. By

SOUTHERN CHEMICAL PRODUCTS COMPANY

2100