

LEMON SCENTED HOSPITAL DISINFECTANT

Pseudomonicidal
Tuberculocidal
Staphylocidal
Bactericidal
Fungicidal

ACTIVE INGREDIENTS:

Isopropanol 67.50%

Ortho-phenylphenol 0.15%


INERT INGREDIENTS: 32.35%

Total 100.00%

WARNING:
FLAMMABLE
KEEP OUT OF REACH OF CHILDREN.
Harmful if swallowed
See back panel for further precautions

NET WEIGHT 14.0 OZ AV (396 grams)

Manufactured by
SOUTHERN CHEMICAL PRODUCTS COMPANY, INC
430 Lower Boundary St. • P.O. Box 205
Macon, Georgia 31297



HAZARDS TO HUMANS AND DOMESTIC ANIMALS **PRELIMINARY STATEMENT**
WARNING

FLAMMABLE

CONTAINS SODIUM NITRATE

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID PROCEDURES

EYES: Flush with water for 15 minutes. Seek medical attention.

SKIN: Wash area with soap and water. Seek medical treatment if irritation persists.

INGESTION: Do not induce vomiting. Seek medical aid immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. Keep out of lakes, streams and ponds.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 degrees F may cause bursting. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use on polished wood furniture or rayon fabrics.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use on polished wood furniture or rayon fabrics. This powerful hospital disinfectant and deodorant acts quickly and effectively to disinfect against many disease causing organisms on such germ laden surfaces as: refuse cans, toilet seats, door knobs, metal beds, wheel chairs and office equipment when used as an after spray following the proper cleaning of the surface. It reduces the hazard of cross infection by bacteria via environmental surfaces. It is a nonselective odor suppressant which chemically neutralizes odor producing materials. Effective on hospital, nursing homes and other odor sources from surgical dressings, post-colostomy and post-ileostomy dressings and bags, malignant diseases, bathrooms, kitchens, food processing plants, garbage cans and smoke. Effective against the following organisms when used as a disinfectant on environmental surfaces: staphylococcus aureus, pseudomonas aeruginosa and salmonella choleraesuis. Destroys mildew on painted wood, metal, tile or other hard surfaces on contact.

FOR DISINFECTING: Hold dispenser upright about 6 to 8" from surface to be disinfected and spray 3 seconds until surface is wet.

FOR DEODORIZING: Hold dispenser upright-point opening away from face. Spray into air towards center of room for about 4 seconds.

FOR MILDEW CONTROL: Clean surface. Spray surface until wet. Repeat application every week to maintain control.

FOR FOOD PREPARATION AREAS: Remove all food and food processing surfaces or protect by covering before treating area. All treated food contact surfaces must be scrubbed thoroughly with detergent and rinsed with potable water before reuse.

STORAGE AND DISPOSAL

STORAGE: Do not store in direct sunlight. Store at temperatures below 120 degrees F.

CONTAINER DISPOSAL: Do not reuse empty container. Replace cap, wrap in paper and discard containers in trash. Do not incinerate or puncture

EPA Reg No 4000-60 EPA Est. 4000-GA-1

Handwritten: P. 100-1000-60