

FOR THE POST OF THE STA

RECTIONS: To control most weeds and grosses for extended periods an non-cropland areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and the like, apply 1 to 4 gallons of product per 1000 square feet after the most predominant weeds have emerged. No agitation is required. Can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling can be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use in their particular area, or contact your distributor.

IMPORTANT: Do not apply directly to, or otherwise permit this liquid to contact susceptible plants as this product may injure cotton, beans, peas, grapes, fruit trees, ornamentals or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not store near fertilizers, seeds, insecticides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes.) Do not re-use this container.

This product is toxic to fish and wildlife., Keep out of lakes, streams, or ponds., Do not apply where runoff is likely to occur., Do not apply when weather conditions favor drift from areas treated., Do not contaminate water by cleaning of equipment, or disposal of wastes., and Apply this product only as specified on this label.

WARNING: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. Do not use, store, spill or pour near heat or open flame. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, flush with large amounts of water; for eyes, get medical attention. Remove and wash contaminated clothing before reuse.


EPA Reg. No. 4000-61

EPA Est. No. 4000-GA-1

SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia

1061 PM 23 4000-61





SEASON LONG

Non-Selective Weed Killer

ACTIVE INCREDIENTS:

2,4-Dichlersphenexyscetic acid, isosotyl eater* . . 1,09% Bramacii (5-brame-3-secbutyl-8-methyluracii) . . . 9,88% INERT INGREDIENTS: 2.10%

TOTAL 100,00%

*2,4-Dichlorophenois sold equivalent 0.72%

WA^RNINGHarmful it swallowed.
KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY: SOUTHERN CHEMICAL PRODUCTS CO. MACON, GEORGIA

PRECAUTIONARY STATEMENTS HAZARDS OF HUMANS AND DOMESTIC ANIMALS

WARTING

XEEP CUT OF REACH OF WILLDREY

Harmful of swallowed. Causes skip writation, Aveid contact with skin, eyes, and clothing.

STATEMENT OF PRACTICAL TREATMENT

STATEMENT OF PRACTICAL TREATMENT

FIRST AID PROCEDURES:

EYES: Flush with water for 15 minores. Get include a stention.

SKIN: Wash throughly with soap and water. Remove and weath contaminated clothing before reuse.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

FRYINDIMENTAL BAZARDS

This product is toxic to lish and wildlife. Keep out of lakes, streams or ponds. Do not apply where runolf is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture. On not use, our spill or afore near heat or open flame.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture: On not use, pour, spill or store near heat or open flame.

BIRECTIONS

It is a violation of federal law to use this product in a manner inconsistant with its labeling. To control most weeds and grasses for extended periods on non-cropland areas such as industrial plant sites, parking lots, foading ramps and around storage buildings, apply 1 to 4 gallons of product p 1000 square feet after the most predominant weeds have emerged. No agilation is required. Can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling can be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use in their particular area or contact your distributor.

NOTE: Users should consult State Agricultural Experiment Stations of extension service weed Specialists for recommendations as to use in their particular area or contact your distributor.

IMPORTANT: Do not apply directly to, or otherwise permit this liquid to contact susceptible plants as this product may injure cotten, beans, peas, grapes, fruit trees, ornamentals or other destrable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity. Do not apply to areas underlaid by roots of destrable trees and shrubs. Do not store near fertilizers, seeds, inseclucides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes for do not use same equipment for other purposes.)

Do not re-use this container.

STORAGE & DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, toodstuffs or drinking water. Do not store or transport near feed or food. Store at temperatures above 32° F.

PESTICIDE BISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide waste are lowe. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these waste cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for oxidence.

quidance.
CONTAINER DISPOSAL: Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

EPA Reg. No. 4009-61

Do not re-use this container.

EPA Est. 4000-GA-1