

JET STREAM WASP & INSECT KILLER

Long spray pattern up to 20 feet aid
in reaching nests.

Non-Conducting Pressurized Spray
Dielectric Breakdown 28,000 Volts
KILLS: Hornets, Yellow Jackets,
Spiders

WARNING

KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautions.

ACTIVE INGREDIENTS:

(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methyl propenyl) cyclopropanecarboxylate*	0.150%
Related Compounds	0.020%
Aromatic petroleum hydrocarbons	0.199%
Petroleum distillate	22.305%
INERT INGREDIENTS	77.326%

TOTAL 100.000%

*Cis/trans Isomers ratio: max. 30% (+ or -) cis and
min. 70% (+ or -) trans. *U.S. Patent No. 3,465,007.

NET WEIGHT 1 LB. 2 OZ. AV.

Manufactured by
SOUTHERN CHEMICAL PRODUCTS COMPANY
P.O. Box 205 • 430 Lower Boundary Street
Macon, Georgia 31207

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING FLAMMABLE

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin and clothing. Avoid contamination of feed and feedstuff. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID PROCEDURES

EYES: Flush with water 15 minutes. Seek medical attention.

SKIN: Wash with soap and water. Protect from reexposure.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

ENVIRONMENTAL HAZARD

Toxic to fish. Keep spray out of lakes, streams and ponds.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

DIRECTIONS

Can be used by electric power and telephone linemen. For outdoor or indoor use. Can be used in attics, warehouses and other storage areas where food and feedstuffs are not exposed.

For Outdoor Use: Applications should be made in late evening when insects are at rest. Hold can upright. Remove cap. Point valve opening away from face. With wind at back, aim at nest in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

For Indoor Use: Point valve opening away from face. Aim directly at nest under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled. Do not remain in treated areas. Ventilate the area after treatment is completed.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when insects are at rest. If reinfestation occurs, repeat treatment.

STORAGE AND DISPOSAL

STORAGE: Do not store in direct sunlight. Store at temperatures below 120°F.

CONTAINER DISPOSAL: Do not reuse empty container. Replace cap, wrap in paper and discard containers in trash. Do not incinerate or puncture.

EPA Reg. No. 4000-83-48581

EPA Est. 4000-GA-1

ACCEPTED

DEC 31 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. 4000-63