

# RESIDUAL ROACH KILLER

FOR USE IN MOTELS, INSTITUTIONS, RESTAURANTS,  
AND FOOD PROCESSING PLANTS.


SHAKE WELL BEFORE USING

**CAUTION**

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

See side panel for additional precautions.



**RESIDUAL ROACH KILLER** is a formulation that can be used as a contact spray against crawling insects. As a residual insecticide, it will provide up to 3 or 4 weeks of control of roaches.

## DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

**ROACHES, EARWIGS, GRAIN MITES, SOW BUGS, SPIDERS, AND CENTIPEDES:**

**Contact Spray:** Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

**Residual Spray:** Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks and crevices, lower walls, and dark places. Spray at a rate of 3 to 4 seconds per linear foot at a distance of 12 to 24 inches from the surface. Repeat as necessary.

**ANTS:** Apply to ant trails and around door sills, window frames and other places where ants may enter.

**WARNING:** Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 120° F. may cause bursting.

### ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.350%
Related compounds	0.048%
Aromatic petroleum hydrocarbons	0.464%

<b>INERT INGREDIENTS:</b>	99.138%
	100.000%

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans. +U.S. Patent No. 3,465,007.

Mfg. By  
**SOUTHERN CHEMICAL PRODUCTS CO.**  
Macon, Georgia  
EPA Reg. No. 4000-65  
Net Wt. 15.1 Oz.