RESIDUAL ROACH KILLER

FOR USE IN MOTELS INSTITUTIONS, RESTAURANTS, AND FOOD PROCESSING PLANTS.

ACTIVE INCREMENTS:	γ.
Resmethrin (5-Benzi-3-luryi) methyl 2,2-dimethyl-	0.350%
3-(2-methylpropenyl) cyclopropenscarbexylete** Related compounds	6,048%
Aremetic petroleum hydrocarbons	0.464%
INERT INGREMENTS:	99,138%
TOTA	100,000%
Cis/trans isomers ratio: max, 30% () cis and min	, 70% (±)

trans.

+ U.S. Patent No. 3, 3,465,007.

EAUTION .. KEEP OUT OF REACH OF CHILDREN " See side panel for further precautions.

NET WEIGHT 15.1 OZ. AV.

Manufactured by SOUTHERN CHEMICAL PRODUCTS COMPANY, INC. 430 Lower Boundary St. • P.O. Box 205 Macon, Georgia 31297

> ACCUPTED with CGLMENTS in EPA to the Dated:

AUG 23 1988

Und Funar' aracid

4000-65

PRECAUTIONARY STATEMENT KAZAROS TO MUMANS AND BOMESTIC ANIMALS CAUTION - --

KEEP OUT OF BEACH OF COMPREN

May be harmful if hypotherial, inhalid or shearhed through the skip, Avail breathing of sores Wist and provide adequate ventilation of area being treated. Contact with skin, even or clothern should be availed.

STATEMENT OF PRACTICAL TREATMENT · PIRST AIC PROCEDURES ...

EYES: Flush with water for 15 minutes. Seek midical attention. SKIM: Wash area with sace and water. Seek medical treatment if irritation

INCESTION: Induce veniting. Seek medical aid immediately.

ENVIRONMENTAL MAZARRS

This product is taxic to fish birds, and other wildlife. Keep out of any bady of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by disposal of wester. Apply this product only as specified on this label. PHYSICAL OR CHEMICAL HAZARBS

Contents under pressure. De not use near fire sparks, or flame. De not nuncture or incinerate container. Exposure to tempertures above 120° F may cause bursting. De set use in edible product areas of food processing plants. restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

DIRECTIONS FOR USE

SPRAY ONLY ON HARD SURFACES, DO NOT USE AS A SPACE SPRAY.

It is a violation of federal law to use this product in a manner inconsistant with its labeling.

This formulation may be used as a contact spray against crawling insects. As a residual insecticide, it will provide up to 3 to 4 weeks of control of

Shake well before use. Remove protective can. Aim soray energing away from person. Push butten to spray.

ROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS, AND CENTIPEDES:

CONTACT SPRAY: Soray thoroughly into hiding places such as cracks. crevices, moist areas, openings around pipes and sinks, under refrigerators. baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

RESIDUAL SPRAY: Spray baseboards, cracks and cravices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupbeards in the kitchen and bathroom, In basements, spray hiding places in Cracks and crevices, lower walls, and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 24 inches from the surface. Repeat as necessary.

ANTS: Apply to ant trails and around door sills, window frames and other places where ants may enter.

STORAGE AND DISPOSAL

STORAGE: Do not store in direct synlight. Store at temperatures below 120

CONTAINER DISPOSAL: Do not reuse empty container. Replace cap, wrap In paper and discard containers in trash. Do not incinerate or puncture.

> EPA Reg. No. 4000-65-EPA Est. 4000-GA-1

25

disk 157 file v Changed 5/1/86ae again 5/2/86ae 5/5/86ae

iy the appil-

lt ami at 1 F 1 12 1