



ACCEPTED

JUN 3 1975

U.S. Federal Insecticide,
Fungicide, and Rodenticide Act,
Registration No. 100-000-001
EPA Reg. No. 400-167

RESIDUAL ROACH SPRAY

ACTIVE INGREDIENTS

Pyrethrin	0.50
Permethrin (technical)	1.00
Permethrin (technical) (inert)	1.00
1,2-Dichloro-4-methyl-5-isopropylbenzene	5.00
Pyrethrin (technical)	11.30
INERT INGREDIENTS	14.4

100.000

Net Weight (100% Pure) 100.000
Gross Weight (100% Pure) 100.000
Net Weight (100% Pure) 100.000

Net Weight (100% Pure) 100.000

CAUTION

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Do not use, pour, spill or store near heat or open flame. For additional precautions see also side panel.

Distributed by

This formulation gives rapid kill of crawling insects, formulated by hydrocarbon and phosphate in after the spray deposit has dried.

Spray only on surfaces. DO NOT USE as a Spot. Do not use in edible products areas of food processing commercially prepared or processed. Do not use. Avoid excessive wetting of plastic, rubber and. This product is toxic to fish, birds, and other where runoff is likely to occur. Do not apply. Do not contaminate water by cleaning of equipment as specified on the label.

Recommended for use in Restaurants, Cafeterias, houses, Hotels, Motels, Schools, Hospitals, Nurseries, directed.

DIRECTIONS

General: Spray surface to wetting. Point spray give large wetting spray droplets.

Indoor Use: ANTS, COCKROACHES, CRICKETS, TOOTHED GRAIN BEETLES, EXPOSED SURFACES around baseboards. Apply behind and beneath waste containers. Repeat as needed. Do not use in places where pets enter premises. Do not use in completely dry.

BROWN DOG TICKS: Spray soiling quarters, wall cracks, and other areas of floors. Repeat quarters after spraying. Do not spray animals.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, and BROWN DOG TICKS. Spray infested areas, doors, window frames, foundations, patios, or hills and valleys. Repeat as necessary. Do not

CAUTION

KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled, or absorbed. Avoid breathing of spray mist and avoid contact with skin, eyes, or clothing should be avoided. Wash. If poisoning occurs get prompt medical aid.


Antidote to Physician: Atropine sulfate is antidote.

Do not reuse empty drum. Return to drum manufacturer in a safe place away from water supply.

EPA Reg. No. 400-167

EPA Reg. No. 400-167

SOUTHERN CHEMICAL
Manufactured by



050
100
150
500
9, 130
1454
100,000
not use, pour, spill
ame. For additional
el.
oy

This formulation gives rapid kill of crawling insects listed on directions. It contains certain chlorinated hydrocarbon and phosphate insecticides. Spray residual areas. Insects may die after the spray deposit has dried.

Spray only on surfaces. DO NOT USE as a Space Spray.
Do not use in edible products areas of food processing plants, restaurants, or other areas where foods are commercially prepared or processed. Do not use in serving areas while food is exposed.
Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor.
This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not spray where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.
Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Recommended for use in Restaurants, Cafeterias, Factories, Office Building, Store Rooms, Warehouses, Hotels, Motels, Schools, Hospitals, Nursing Homes, Lockers and Utility Rooms, etc., as directed.

DIRECTIONS FOR USE

General Spray surface to wetting. Point spray away from people, plants, and pets. Use a spray that will give large wetting spray droplets.

Indoor Use ANTS, COCKROACHES, CRICKETS, SILVER FISH SPIDERS, SCORPIONS, and TOOTHED GRAIN BEETLES (EXPOSED STAGE), WATER BUGS. Spray into cracks, crevices, and around baseboards. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in airtight and waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS Spray sleeping quarters of pets, around dog house, kennel, and dog house, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in all quarters after spraying. Do not spray animals.

Outdoor Use ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SCORPIONS, and BROWN DOG TICKS. Spray infested areas thoroughly, including outside surfaces, attics, eaves, doors, window frames, foundations, patios, or other places where insects may enter. Keep pets away from hills and runways. Repeat as necessary. Do not spray vegetation.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed, inhaled, or absorbed through the skin.
Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should be avoided. Wash thoroughly with soap and warm water after treating. If poisoning occurs, get prompt medical aid.

Note to Physician Atropine sulfate is antidotal.
Do not reuse empty drum. Return to manufacturer or distributor for proper disposal. Do not burn. Burying in a safe place away from water supplies.

EPA Reg. No. 4000-57 EPA Est. No. 4000-CA-1
Mfg. By
SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia